

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2014

DISTRICT		VALUATION	LEVY	TAX	NEW CONSTRUCTION (INCLUDED IN VALUATION)
STATE		\$ 3,858,130,967	2.377945	\$ 9,174,423	\$ 50,126,796
COUNTY					
CURRENT EXPENSE		\$ 3,889,175,219	1.320703	\$ 5,136,445	
CD RSN MH		\$ 3,889,175,219	0.012500	\$ 48,615	
CD DD		\$ 3,889,175,219	0.012500	\$ 48,615	
VETERANS RELIEF		\$ 3,889,175,219	0.000000	\$ -	
TOTAL COUNTY		\$ 3,889,175,219	1.345703	\$ 5,233,675	\$ 50,126,796
PORT DISTRICT		\$ 3,889,175,219	0.212231	\$ 825,404	\$ 50,126,796
ROAD DISTRICT		\$ 2,739,370,627	1.781439	\$ 4,880,022	\$ 46,728,296
LIBRARY DISTRICT		\$ 3,850,142,143	0.450112	\$ 1,732,995	\$ 49,856,096
EASTMONT MET PARK		\$ 2,848,001,347	0.269370	\$ 767,166	\$ 43,321,296
HOSPITAL DISTRICT #1	REG	\$ 217,337,776	0.596206	\$ 129,578	
	BOND	\$ 215,662,576	0.000000	\$ -	
	TOTAL		0.596206	\$ 129,578	\$ 1,495,300
HOSPITAL DISTRICT #2	REG	\$ 182,732,614	0.385815	\$ 70,501	
	EXCESS	\$ 180,388,914	0.360332	\$ 65,000	
	TOTAL		0.746147	\$ 135,501	\$ 191,900
HOSPITAL DISTRICT #3	REG	\$ 30,500,383	0.013114	\$ 400	
	BOND	\$ 30,500,383	0.000000	\$ -	
	TOTAL		0.013114	\$ 400	\$ 30,800
HOSPITAL DISTRICT #6	REG	\$ 11,765,207	0.504801	\$ 5,939	
	BOND	\$ 11,473,507	0.000000	\$ -	
	TOTAL		0.504801	\$ 5,939	\$ -
FIRE DISTRICT #1	REG	\$ 127,468,425	0.673082	\$ 85,797	
	BOND	\$ 126,976,925	0.000000	\$ -	
	TOTAL		0.673082	\$ 85,797	\$ 75,900
FIRE DISTRICT #2	REG	\$ 2,933,233,758	0.768151	\$ 2,253,166	
	BOND	\$ 2,893,753,258	0.000000	\$ -	
	TOTAL		0.768151	\$ 2,253,166	\$ 44,111,196
FIRE DISTRICT #3	REG	\$ 35,594,676	0.697779	\$ 24,837	
	BOND	\$ 35,418,076	0.000000	\$ -	
	TOTAL		0.697779	\$ 24,837	\$ 71,100
FIRE DISTRICT #4	REG	\$ 419,854,962	0.672378	\$ 282,301	
	BOND	\$ 419,260,862	0.000000	\$ -	
	TOTAL		0.672378	\$ 282,301	\$ 3,680,200
FIRE DISTRICT #5	REG	\$ 100,415,909	0.650259	\$ 65,296	
	BOND	\$ 100,115,109	0.332976	\$ 33,336	
	TOTAL		0.983235	\$ 98,632	\$ 708,700

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2014

<u>DISTRICT</u>		<u>VALUATION</u>	<u>LEVY</u>	<u>TAX</u>	<u>NEW CONSTRUCTION</u>
FIRE DISTRICT #8	REG	\$ 35,211,957	0.311620	\$ 10,973	
	BOND	35,168,457	0.000000	\$ -	
	TOTAL		0.311620	\$ 10,973	\$ 105,300
FIRE DISTRICT #J15	REG	92,410,586	0.685170	\$ 63,317	
	BOND	92,072,986	0.266330	\$ 24,522	
	TOTAL		0.951500	\$ 87,839	\$ 549,400
FIRE EMS #J15	REG	92,410,586	0.425675	\$ 39,337	
	BOND	92,072,986	0.000000	\$ -	
	TOTAL		0.425675	\$ 39,337	\$ 549,400
CEMETERY DISTRICT #1	REG	\$ 337,821,317	0.039532	\$ 13,355	
	BOND	\$ 337,238,917	0.000000	\$ -	
	TOTAL		0.039532	\$ 13,355	\$ 2,938,500
CEMETERY DISTRICT #2	REG	\$ 152,719,420	0.079574	\$ 12,152	
	EXCESS	\$ 150,659,220	0.265499	\$ 40,000	
	TOTAL		0.345073	\$ 52,152	\$ 118,100
CEMETERY DISTRICT #3	REG	\$ 42,873,134	0.063153	\$ 2,708	
	BOND	42,829,634	0.000000	\$ -	
	TOTAL		0.063153	\$ 2,708	\$ 105,300
CITIES & TOWNS					
		<u>VALUATION</u>	<u>LEVY</u>	<u>TAX</u>	
BRIDGEPORT	REG	\$ 45,920,358	2.141642	\$ 98,345	
	BOND	\$ 44,849,958	0.000000	\$ -	
	TOTAL		2.141642	\$ 98,345	\$ 600,800
COULEE DAM	REG	\$ 11,765,207	2.307269	\$ 27,145	
	BOND	\$ 11,473,507	0.000000	\$ -	
	TOTAL		2.307269	\$ 27,145	\$ -
EAST WENATCHEE	REG	\$ 992,371,761	1.587671	\$ 1,575,560	
	BOND	\$ 976,197,861	0.000000	\$ -	
	TOTAL		1.587671	\$ 1,575,560	\$ 2,443,000
MANSFIELD	REG	\$ 12,014,043	2.382608	\$ 28,625	
	BOND	\$ 11,765,243	0.000000	\$ -	
	TOTAL		2.382608	\$ 28,625	\$ 67,800
ROCK ISLAND	REG	\$ 27,019,033	2.146358	\$ 57,993	
	BOND	\$ 25,935,133	0.000000	\$ -	
	TOTAL		2.146358	\$ 57,993	\$ 202,900
WATERVILLE	REG	\$ 60,714,190	2.864238	\$ 173,900	
	BOND	\$ 58,873,690	0.000000	\$ -	
	TOTAL		2.864238	\$ 173,900	\$ 84,000


DOUGLAS COUNTY LEVIES
AND TAXES FOR 2014

SCHOOL DISTRICTS		VALUE	LEVY	TAX	NEW CONSTRUCTION
LAKE CHELAN #12J	M&O	\$ 83,987,460	1.683573	\$ 141,399	
	BOND	\$ 83,987,460	0.725726	\$ 60,952	
	TOTAL		2.409299	\$ 202,351	\$ 1,123,700
ORONDO #13	M&O	\$ 337,238,917	2.375971	\$ 801,270	
	BOND	\$ 337,238,917	0.000000	\$ -	
	TOTAL		2.375971	\$ 801,270	\$ 2,938,500
EPHRATA #55J	M&O	\$ 4,901,123	5.273481	\$ 25,846	
	BOND	\$ 4,901,123	0.000000	\$ -	
	TOTAL		5.273481	\$ 25,846	\$ 76,800
BRIDGEPORT #75	M&O	\$ 102,162,250	1.631388	\$ 166,666	
	BOND	\$ 102,162,250	0.349572	\$ 35,713	
	TOTAL		1.980960	\$ 202,379	\$ 657,600
QUINCY #101J	M&O	\$ 25,222,399	3.316501	\$ 83,650	
	BOND	\$ 25,222,399	0.294906	\$ 7,438	
	TOTAL		3.611407	\$ 91,088	\$ 587,000
PALISADES #102	M&O	\$ 50,054,654	1.938221	\$ 97,017	
	BOND	\$ 50,054,654	0.000000	\$ -	
	TOTAL		1.938221	\$ 97,017	\$ 25,200
COULEE-HARTLINE #151J	M&O	\$ 47,997,633	2.396679	\$ 115,035	
	BOND	\$ 47,997,633	1.273352	\$ 61,118	
	TOTAL		3.670031	\$ 176,153	\$ 143,500
BREWSTER #203J	M&O	\$ 63,590,634	2.665771	\$ 169,518	
	BOND	\$ 63,590,634	0.000000	\$ -	
	TOTAL		2.665771	\$ 169,518	\$ 532,900
EASTMONT #206	M&O	\$ 2,866,817,150	2.984580	\$ 8,556,245	
	BOND	\$ 2,866,817,150	1.813858	\$ 5,199,999	
	TOTAL		4.798438	\$ 13,756,244	\$ 43,587,896
MANSFIELD #207	M&O	\$ 64,813,329	1.928615	\$ 125,000	
	BOND	\$ 64,813,329	0.000000	\$ -	
	TOTAL		1.928615	\$ 125,000	\$ 304,800
WATERVILLE #209	M&O	\$ 171,279,323	4.943620	\$ 846,740	
	BOND	\$ 171,279,323	0.973071	\$ 166,667	
	TOTAL		5.916691	\$ 1,013,407	\$ 118,100
COULEE DAM #302J	M&O	\$ 26,417,047	4.549340	\$ 120,180	
	BOND	\$ 26,417,047	0.000000	\$ -	
	TOTAL		4.549340	\$ 120,180	\$ 30,800

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2014

I, JAMES H. RUUD, ASSESSOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY
THAT THE ATTACHED IS A TRUE AND CORRECT COPY OF VALUATIONS OF DOUGLAS COUNTY
FOR 2013 ON WHICH WILL BE BASED THE 2014 TAX.

WITNESS MY HAND THIS 31st DAY OF January 2014


DOUGLAS COUNTY ASSESSOR

I, THAT DUVALL, AUDITOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY THAT
THE LEVIES SET FORTH HEREIN ARE TRUE AND CORRECT AS THEY WERE FIXED BY THE
BOARD OF COUNTY COMMISSIONERS.

WITNESS BY HAND THIS 31 DAY OF January 2014


DOUGLAS COUNTY AUDITOR

<u>ABBREVIATIONS FOR TAX DISTRICT DESCRIPTIONS</u>	
(See Following Pages)	
<u>ABBREVIATION</u>	<u>TAXING DISTRICT</u>
ST	State Levy
CO	County Current Expense
PT OR PORT	Douglas Co Port District
RD	County Road District
L OR LIB OR LIBRARY	North Central Regional Library District
EMPD	Eastmont Metropolitan District
CAP	Coulee Area Park District
B	City of Bridgeport
RI	Town of Rock Island
M	Town of Mansfield
W	Town of Waterville
EW	City of East Wenatchee
CD	Town of Coulee Dam
F1	Fire District #1
F2	Fire District #2
F4	Fire District #4
F5	Fire District #5
F8	Fire District #8
FJ15	Fire District #J15
H1	Hospital District #1
H2	Hospital District #2
H3	Hospital District #3
H6	Hospital District #6
C1	Cemetery District #1
C2	Cemetery District #2
C3	Cemetery District #3
12J	Chelan School District #12J
13	Orondo School District #13
55J	Ephrata School District #55J
75	Bridgeport School District #75
101J	Quincy School District #101J
102	Palisades School District #102
151J	Coulee-Hartline School District #151J
203J	Brewster School District #203J
206	Eastmont School District #206
207	Mansfield School District #207
209	Waterville School District #209
302J	Coulee Dam School District #302J
BAR	Greater Bar Water District
Examples:	
<u>Tax District #</u>	<u>Districts</u>
21	EW-206-F2-EMPD (ST;CO;PORT)
Taxes go to:	(City of East Wenatchee, School Dist #206, Fire Dist #2, Eastmont Met Park Dist, State, County, Port)
55	206-F2-EMPD (ST;CO;PORT;RD;LIB)
Taxes go to:	(School Dist #206, Fire Dist #2, Eastmont Met Park Dist, State, County, Port, Road, Library)



Jim Ruud
 Douglas County Assessor
 P.O. Box 387
 213 S. Rainier St.
 Waterville, WA 98858-0609
 (509) 745-8521

District Listing

District Listing						
District	Description	Active	Factor	Excess Rate	Base Rate	Total Rate
Roll Year: 2014						
1	B-75-H1-L; (ST;CO;PORT;)	True	0.00000000	1.98096000	7.12383900	9.10479900
5	M-207-F5-H1 (ST;CO;PORT)	True	0.00000000	2.26159100	7.56495200	9.82654300
10	RI-206-F2 (ST;CO;PORT;)	True	0.00000000	4.79843800	6.85038800	11.64882600
11	RI-206-F2-EMPD (ST;CO;PORT;)	True	0.00000000	4.79843800	7.11975800	11.91819600
15	W-209-H2-C2-L (ST;CO;PORT;)	True	0.00000000	6.54252200	7.71561800	14.25814000
19	B-75-H1-L; (CO;PORT)	True	0.00000000	1.98096000	4.74589400	6.72685400
21	EW-206-F2-EMPD-L (ST;CO;PORT;)	True	0.00000000	4.79843800	7.01118300	11.80962100
25	CD-302J-H6-L-CAP (ST;CO;PORT;)	True	0.00000000	4.54934000	7.19806100	11.74740100
50	206-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	6.43680000	11.23523800
51	206-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	6.83980800	11.63824600
52	206-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	6.84051200	11.63895000
53	206-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.15877000	7.22562300	12.38439300
54	206-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.15877000	7.22632700	12.38509700
55	206-F2-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	7.20495100	12.00338900
59	M-207-H1 (CO;PORT)	True	0.00000000	1.92861500	4.53674800	6.46536300
91	12J-F4 (ST;CO;PORT;RD;LIBRARY;)	True	0.00000000	2.40929900	6.83980800	9.24910700
92	12J-F5 (ST;CO;PORT;RD;LIBRARY)	True	0.00000000	2.74227500	6.81768900	9.55996400
93	12J-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.76963100	7.22562300	9.99525400
95	13-F4-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.37597100	6.87934000	9.25531100
96	13-F4-H2-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.73630300	7.26515500	10.00145800
100	13-F1-H2-C1 (ST;CO;PORT;RD;LIB)	True	0.00000000	2.73630300	7.26585900	10.00216200
109	RI-206-F2 (CO;PORT)	True	0.00000000	4.79843800	4.47244300	9.27088100
110	302J-F3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.54934000	6.86520900	11.41454900
112	302J-F3-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.54934000	6.87832300	11.42766300

115	302J-F5-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.88231600	6.83080300	11.71311900
119	RI-206-F2-EMPD (CO;PORT)	True	0.00000000	4.79843800	4.74181300	9.54025100
159	W-209-H2-C2-L (CO;PORT)	True	0.00000000	6.54252200	5.33767300	11.88019500
180	55J (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.27348100	6.16743000	11.44091100
182	55J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.27348100	6.54220300	11.81568400
190	75-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.31393600	6.83080300	9.14473900
196	75-F3-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	6.87832300	8.85928300
210	75-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	6.76363600	8.74459600
215	75-FJ15-H1-EMS (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.24729000	7.87448100	10.12177100
216	75-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.31393600	7.41389500	9.72783100
217	75-FJ15-H1-EMS-BAR (ST,CO,PT,RD,L)	True	0.00000000	2.24729000	7.87448100	10.12177100
219	EW-206-F2-EMPD-L (CO;PORT)	True	0.00000000	4.79843800	4.63323800	9.43167600
220	75-F3-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	7.46141500	9.44237500
235	101J-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.61140700	6.93558100	10.54698800
240	102 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.93822100	6.16743000	8.10565100
241	102-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.56405200	7.30590100	9.86995300
242	102-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.93822100	6.93558100	8.87380200
243	102-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.29855300	7.22632700	9.52488000
245	209 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	6.16743000	12.08412100
246	209-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	7.22562300	13.50264600
247	209-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	6.55324500	12.83026800
248	209-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	7.22632700	13.50335000
249	209-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	6.83980800	12.75649900
250	209-F1-H2-C2 (ST;CO;PT;RD;LIB)	True	0.00000000	6.54252200	7.30590100	13.84842300
251	209-F1-C2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.18219000	6.92008600	13.10227600
252	209-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	6.84051200	12.75720300
253	209-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	6.54220300	12.45889400
254	209-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	6.93558100	12.85227200
259	CD-302J-H6-L-CAP (CO;PORT)	True	0.00000000	4.54934000	4.82011600	9.36945600
261	209-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.60999900	7.20350400	13.81350300
262	209-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.24966700	7.41389500	13.66356200
263	209-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.24966700	6.81768900	13.06735600
270	207-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.92861500	6.54220300	8.47081800

271	207-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.55444600	7.30590100	9.86034700
272	207-F1-H2-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.28894700	7.28948000	9.57842700
275	207-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	7.41389500	9.67548600
276	207-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.62192300	7.20350400	9.82542700
277	207-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	6.81768900	9.07928000
278	207-F5-H1-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.26159100	7.47704800	9.73863900
279	207-F5-H2-C3 (ST;CO;PT;RD;LIB)	True	0.00000000	2.62192300	7.26665700	9.88858000
280	207-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	2.19494500	7.87448100	10.06942600
281	207-F5-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	6.88084200	9.14243300
282	207-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	6.83080300	9.09239400
290	203J-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	2.93210100	7.87448100	10.80658200
291	203J-FJ15-H1-EMS-BAR (ST;CO;PORT;RD;L)	True	0.00000000	2.93210100	7.87448100	10.80658200
295	151J (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.67003100	6.16743000	9.83746100
296	151J-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.03036300	6.55324500	10.58360800
298	151J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.67003100	6.54220300	10.21223400
300	151J-F5-H1-C3 (ST;CO;PT;RD;LIB)	True	0.00000000	4.00300700	7.47704800	11.48005500
305	151J-F5-H3 (ST;CO;PORT;RD;LIB)	True	0.00000000	4.00300700	6.83080300	10.83381000
306	151J-F5-C3 (ST;CO;PORT;RD;LIB)	True	0.00000000	4.00300700	6.88084200	10.88384900
509	206-EMPD (CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	4.05885500	8.85729300
519	206-F4 (CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	4.46186300	9.26030100
529	206-F1 (CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	4.46256700	9.26100500
539	206-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.15877000	4.84767800	10.00644800
549	206-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.15877000	4.84838200	10.00715200
559	206-F2-EMPD (CO;PORT;RD;LIB;)	True	0.00000000	4.79843800	4.82700600	9.62544400
919	12J-F4 (CO;PORT;RD;LIBRARY;)	True	0.00000000	2.40929900	4.46186300	6.87116200
929	12J-F5 (CO;PORT;RD;LIBRARY)	True	0.00000000	2.74227500	4.43974400	7.18201900
939	12J-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.76963100	4.84767800	7.61730900
959	13-F4-C1 (CO;PORT;RD;LIB;)	True	0.00000000	2.37597100	4.50139500	6.87736600
969	13-F4-H2-C1 (CO;PORT;RD;LIB;	True	0.00000000	2.73630300	4.88721000	7.62351300
1009	13-F1-H2-C1 (CO;PORT;RD;LIB)	True	0.00000000	2.73630300	4.88791400	7.62421700
1109	302J-F3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.54934000	4.48726400	9.03660400
1129	302J-F3-H3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.54934000	4.50037800	9.04971800
1159	302J-F5-H3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.88231600	4.45285800	9.33517400

1809	55J (CO;PORT;RD;LIB;)	True	0.00000000	5.27348100	3.78948500	9.06296600
1829	55J-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	5.27348100	4.16425800	9.43773900
1909	75-F5-H3 (CO;PORT;RD;LIB;)	True	0.00000000	2.31393600	4.45285800	6.76679400
1969	75-F3-H3 (CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	4.50037800	6.48133800
2109	75-H1 (CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	4.38569100	6.36665100
2159	75-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.24729000	5.49653600	7.74382600
2169	75-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	2.31393600	5.03595000	7.34988600
2179	75-FJ15-H1-EMS-BAR (CO,PT,RD,L)	True	0.00000000	2.24729000	5.49653600	7.74382600
2209	75-F3-H1 (CO;PORT;RD;LIB;)	True	0.00000000	1.98096000	5.08347000	7.06443000
2359	101J-F2 (CO;PORT;RD;LIB;)	True	0.00000000	3.61140700	4.55763600	8.16904300
2409	102 (CO;PORT;RD;LIB;)	True	0.00000000	1.93822100	3.78948500	5.72770600
2419	102-F1-H2-C2 (CO;PT;RD;LIB;)	True	0.00000000	2.56405200	4.92795600	7.49200800
2429	102-F2 (CO;PORT;RD;LIB;)	True	0.00000000	1.93822100	4.55763600	6.49585700
2439	102-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.29855300	4.84838200	7.14693500
2459	209 (CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	3.78948500	9.70617600
2469	209-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	4.84767800	11.12470100
2479	209-H2 (CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	4.17530000	10.45232300
2489	209-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	6.27702300	4.84838200	11.12540500
2499	209-F4 (CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	4.46186300	10.37855400
2509	209-F1-H2-C2 (CO;PT;RD;LIB)	True	0.00000000	6.54252200	4.92795600	11.47047800
2519	209-F1-C2 (CO;PORT;RD;LIB;)	True	0.00000000	6.18219000	4.54214100	10.72433100
2529	209-F1 (CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	4.46256700	10.37925800
2539	209-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	4.16425800	10.08094900
2549	209-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.91669100	4.55763600	10.47432700
2619	209-F5-H2 (CO;PORT;RD;LIB;)	True	0.00000000	6.60999900	4.82555900	11.43555800
2629	209-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	6.24966700	5.03595000	11.28561700
2639	209-F5 (CO;PORT;RD;LIB;)	True	0.00000000	6.24966700	4.43974400	10.68941100
2709	207-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	1.92861500	4.16425800	6.09287300
2719	207-F1-H2-C2 (CO;PT;RD;LIB;)	True	0.00000000	2.55444600	4.92795600	7.48240200
2729	207-F1-H2-C3 (CO;PT;RD;LIB;)	True	0.00000000	2.28894700	4.91153500	7.20048200
2759	207-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	5.03595000	7.29754100
2769	207-F5-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.62192300	4.82555900	7.44748200
2779	207-F5 (CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	4.43974400	6.70133500

2789	207-F5-H1-C3 (CO;PT;RD;LIB;)	True	0.00000000	2.26159100	5.09910300	7.36069400
2799	207-F5-H2-C3 (CO;PT;RD;LIB)	True	0.00000000	2.62192300	4.88871200	7.51063500
2809	207-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.19494500	5.49653600	7.69148100
2819	207-F5-C3 (CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	4.50289700	6.76448800
2829	207-F5-H3 (CO;PORT;RD;LIB;)	True	0.00000000	2.26159100	4.45285800	6.71444900
2909	203J-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.93210100	5.49653600	8.42863700
2919	203J-FJ15-H1-EMS-BAR (CO;PORT;RD;L)	True	0.00000000	2.93210100	7.87448100	10.80658200
2959	151J (CO;PORT;RD;LIB;)	True	0.00000000	3.67003100	3.78948500	7.45951600
2969	151J-H2 (CO;PORT;RD;LIB;)	True	0.00000000	4.03036300	4.17530000	8.20566300
2989	151J-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	3.67003100	4.16425800	7.83428900
3009	151J-F5-H1-C3 (CO;PT;RD;LIB)	True	0.00000000	4.00300700	5.09910300	9.10211000
3059	151J-F5-H3 (CO;PORT;RD;LIB)	True	0.00000000	4.00300700	4.45285800	8.45586500
3069	151J-F5-C3 (CO;PORT;RD;LIB)	True	0.00000000	4.00300700	4.50289700	8.50590400

2014 TAX DISTRIBUTION

