

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2015

DISTRICT		VALUATION	LEVY	TAX	NEW CONSTRUCTION (INCLUDED IN VALUATION)
STATE		\$ 4,022,403,568	2.373982	\$ 9,549,114	\$ 70,088,875
COUNTY					
CURRENT EXPENSE		\$ 4,057,765,492	1.318744	\$ 5,351,154	
CD RSN MH		\$ 4,057,765,492	0.012500	\$ 50,722	
CD DD		\$ 4,057,765,492	0.012500	\$ 50,722	
VETERANS RELIEF		\$ 4,057,765,492	0.000000	\$ -	
TOTAL COUNTY		\$ 4,057,765,492	1.343744	\$ 5,452,598	\$ 70,088,875
PORT DISTRICT		\$ 4,057,765,492	0.211921	\$ 859,926	\$ 70,088,875
ROAD DISTRICT		\$ 2,873,427,165	1.786503	\$ 5,133,386	\$ 62,601,875
LIBRARY DISTRICT		\$ 4,016,751,334	0.452283	\$ 1,816,708	\$ 70,088,875
EASTMONT MET PARK		\$ 2,995,777,810	0.267779	\$ 802,206	\$ 54,302,149
HOSPITAL DISTRICT #1	REG	\$ 224,657,436	0.631684	\$ 141,913	
	BOND	\$ 223,128,636	0.000000	\$ -	
	TOTAL		0.631684	\$ 141,913	\$ 3,755,771
HOSPITAL DISTRICT #2	REG	\$ 185,305,964	0.380457	\$ 70,501	
	EXCESS	\$ 183,311,864	0.354586	\$ 65,000	
	TOTAL		0.735043	\$ 135,501	\$ 1,387,878
HOSPITAL DISTRICT #3	REG	\$ 31,516,940	0.012691	\$ 400	
	BOND	\$ 31,516,940	0.000000	\$ -	
	TOTAL		0.012691	\$ 400	\$ 484,200
HOSPITAL DISTRICT #6	REG	\$ 12,374,403	0.553584	\$ 6,850	
	BOND	\$ 12,073,203	0.000000	\$ -	
	TOTAL		0.553584	\$ 6,850	\$ -
FIRE DISTRICT #1	REG	\$ 128,423,935	0.674755	\$ 86,655	
	BOND	\$ 127,982,435	0.000000	\$ -	
	TOTAL		0.674755	\$ 86,655	\$ 390,578
FIRE DISTRICT #2	REG	\$ 3,081,743,978	0.760419	\$ 2,343,417	
	BOND	\$ 3,040,558,878	0.000000	\$ -	
	TOTAL		0.760419	\$ 2,343,417	\$ 54,302,149
FIRE DISTRICT #3	REG	\$ 36,338,199	0.690405	\$ 25,088	
	BOND	\$ 36,161,599	0.000000	\$ -	
	TOTAL		0.690405	\$ 25,088	\$ 484,200
FIRE DISTRICT #4	REG	\$ 427,545,615	0.682072	\$ 291,617	
	BOND	\$ 426,904,915	0.000000	\$ -	
	TOTAL		0.682072	\$ 291,617	\$ 9,655,877
FIRE DISTRICT #5	REG	\$ 104,113,601	0.633436	\$ 65,949	
	BOND	\$ 103,875,101	0.327498	\$ 34,019	
	TOTAL		0.960934	\$ 99,968	\$ 554,700

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2015

DISTRICT		VALUATION	LEVY	TAX	NEW CONSTRUCTION
FIRE DISTRICT #8	REG	\$ 34,752,228	0.315743	\$ 10,973	
	BOND	34,708,725	0.000000	\$ -	
	TOTAL		0.315743	\$ 10,973	\$ -
FIRE DISTRICT #J15	REG	96,593,289	0.790073	\$ 76,316	
	BOND	96,253,389	0.278735	\$ 26,829	
	TOTAL		1.068808	\$ 103,145	\$ 3,335,871
FIRE EMS #J15	REG	96,593,289	0.469999	\$ 45,399	
	BOND	96,253,389	0.000000	\$ -	
	TOTAL		0.469999	\$ 45,399	\$ 3,335,871
CEMETERY DISTRICT #1	REG	\$ 343,623,531	0.040172	\$ 13,804	
	BOND	\$ 342,994,531	0.000000	\$ -	
	TOTAL		0.040172	\$ 13,804	\$ 7,342,977
CEMETERY DISTRICT #2	REG	\$ 154,814,176	0.080405	\$ 12,448	
	EXCESS	\$ 153,053,576	0.261346	\$ 40,000	
	TOTAL		0.341751	\$ 52,448	\$ 1,241,678
CEMETERY DISTRICT #3	REG	\$ 42,398,062	0.063918	\$ 2,710	
	BOND	42,354,562	0.000000	\$ -	
	TOTAL		0.063918	\$ 2,710	\$ -
MOSQUITO CONTROL DIST. #1	EXCESS	\$ 60,516,729	0.240330	\$ 14,544	\$ 1,005,000
<u>CITIES & TOWNS</u>		<u>VALUATION</u>	<u>LEVY</u>	<u>TAX</u>	
BRIDGEPORT	REG	\$ 46,493,900	2.141129	\$ 99,549	
	BOND	\$ 45,567,800	0.000000	\$ -	
	TOTAL		2.141129	\$ 99,549	\$ 315,700
COULEE DAM	REG	\$ 12,374,403	2.298035	\$ 28,437	
	BOND	\$ 12,073,203	0.000000	\$ -	
	TOTAL		2.298035	\$ 28,437	\$ -
EAST WENATCHEE	REG	\$ 1,022,398,237	1.568313	\$ 1,603,440	
	BOND	\$ 1,005,913,737	0.000000	\$ -	
	TOTAL		1.568313	\$ 1,603,440	\$ 6,166,300
MANSFIELD	REG	\$ 12,564,533	2.323105	\$ 29,189	
	BOND	\$ 12,320,133	0.000000	\$ -	
	TOTAL		2.323105	\$ 29,189	\$ -
ROCK ISLAND	REG	\$ 28,449,625	2.161597	\$ 61,497	
	BOND	\$ 27,207,225	0.000000	\$ -	
	TOTAL		2.161597	\$ 61,497	\$ -
WATERVILLE	REG	\$ 62,057,629	2.880647	\$ 178,766	
	BOND	\$ 60,516,729	0.000000	\$ -	
	TOTAL		2.880647	\$ 178,766	\$ 1,005,000


DOUGLAS COUNTY LEVIES
AND TAXES FOR 2015

SCHOOL DISTRICTS		VALUE	LEVY	TAX	NEW CONSTRUCTION
LAKE CHELAN #12J	M&O	\$ 86,977,529	1.611571	\$ 140,170	
	BOND	\$ 86,977,529	0.675041	\$ 58,713	
	TOTAL		2.286612	\$ 198,884	\$ 2,684,600
ORONDO #13	M&O	\$ 342,994,531	2.548157	\$ 874,004	
	BOND	\$ 342,994,531	0.000000	\$ -	
	TOTAL		2.548157	\$ 874,004	\$ 7,342,977
EPHRATA #55J	M&O	\$ 4,912,929	4.972341	\$ 24,429	
	BOND	\$ 4,912,929	0.000000	\$ -	
	TOTAL		4.972341	\$ 24,429	\$ -
BRIDGEPORT #75	M&O	\$ 103,825,415	1.603774	\$ 166,513	
	BOND	\$ 103,825,415	0.307057	\$ 31,880	
	TOTAL		1.910831	\$ 198,393	\$ 341,100
QUINCY #101J	M&O	\$ 25,689,807	2.903747	\$ 74,597	
	BOND	\$ 25,689,807	0.228585	\$ 5,872	
	TOTAL		3.132332	\$ 80,469	\$ -
PALISADES #102	M&O	\$ 49,604,495	2.020372	\$ 100,220	
	BOND	\$ 49,604,495	0.000000	\$ -	
	TOTAL		2.020372	\$ 100,220	\$ 44,800
COULEE-HARTLINE #151J	M&O	\$ 48,010,778	2.539283	\$ 121,913	
	BOND	\$ 48,010,778	1.089880	\$ 52,326	
	TOTAL		3.629163	\$ 174,239	\$ -
BREWSTER #203J	M&O	\$ 67,124,104	2.716341	\$ 182,332	
	BOND	\$ 67,124,104	0.000000	\$ -	
	TOTAL		2.716341	\$ 182,332	\$ 3,310,471
EASTMONT #206	M&O	\$ 3,014,034,213	2.926224	\$ 8,819,739	
	BOND	\$ 3,014,034,213	1.732033	\$ 5,220,407	
	TOTAL		4.658257	\$ 14,040,146	\$ 54,529,849
MANSFIELD #207	M&O	\$ 67,414,954	1.855856	\$ 125,112	
	BOND	\$ 67,414,954	0.000000	\$ -	
	TOTAL		1.855856	\$ 125,112	\$ 104,200
WATERVILLE #209	M&O	\$ 173,722,226	4.608656	\$ 800,626	
	BOND	\$ 173,722,226	0.959387	\$ 166,667	
	TVF	\$ 173,722,226	0.001479	\$ 257	
	TOTAL		5.569522	\$ 967,550	\$ 1,246,678
COULEE DAM #302J	M&O	\$ 27,555,611	4.667143	\$ 128,606	
	BOND	\$ 27,555,611	0.000000	\$ -	
	TOTAL		4.667143	\$ 128,606	\$ 484,200

DOUGLAS COUNTY LEVIES
AND TAXES FOR 2015

I, JAMES H. RUUD, ASSESSOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY
THAT THE ATTACHED IS A TRUE AND CORRECT COPY OF VALUATIONS OF DOUGLAS COUNTY
FOR 2014, ON WHICH WILL BE BASED THE 2015 TAX.

WITNESS MY HAND THIS 3 DAY OF 2015 March


DOUGLAS COUNTY ASSESSOR


I, THAT DUVALL, AUDITOR OF DOUGLAS COUNTY, WASHINGTON DO HEREBY CERTIFY THAT
THE LEVIES SET FORTH HEREIN ARE TRUE AND CORRECT AS THEY WERE FIXED BY THE
BOARD OF COUNTY COMMISSIONERS.

WITNESS BY HAND THIS 4 DAY OF March 2015


DOUGLAS COUNTY AUDITOR

Category	Amount
State	\$ 9,549,114
County	\$ 5,452,598
Port	\$ 859,926
Road	\$ 5,133,386
Library	\$ 1,816,708
Eastmont Parks	\$ 802,206
Schools	\$ 17,094,384
Fire	\$ 2,960,863
Hospital	\$ 284,664
Towns	\$ 2,000,878
Ems	\$ 45,399
Cemetery	\$ 68,962
Mosquito Control	\$ 14,544

2015 TAX DISTRIBUTION



<u>ABBREVIATIONS FOR TAX DISTRICT DESCRIPTIONS</u>	
(See Following Pages)	
<u>ABBREVIATION</u>	<u>TAXING DISTRICT</u>
ST	State Levy
CO	County Current Expense
PT OR PORT	Douglas Co Port District
RD	County Road District
L OR LIB OR LIBRARY	North Central Regional Library District
EMPD	Eastmont Metropolitan District
CAP	Coulee Area Park District
B	City of Bridgeport
RI	Town of Rock Island
M	Town of Mansfield
W	Town of Waterville
EW	City of East Wenatchee
CD	Town of Coulee Dam
F1	Fire District #1
F2	Fire District #2
F4	Fire District #4
F5	Fire District #5
F8	Fire District #8
FJ15	Fire District #J15
H1	Hospital District #1
H2	Hospital District #2
H3	Hospital District #3
H6	Hospital District #6
C1	Cemetery District #1
C2	Cemetery District #2
C3	Cemetery District #3
12J	Chelan School District #12J
13	Orondo School District #13
55J	Ephrata School District #55J
75	Bridgeport School District #75
101J	Quincy School District #101J
102	Palisades School District #102
151J	Coulee-Hartline School District #151J
203J	Brewster School District #203J
206	Eastmont School District #206
207	Mansfield School District #207
209	Waterville School District #209
302J	Coulee Dam School District #302J
BAR	Greater Bar Water District
Examples:	
<u>Tax District #</u>	<u>Districts</u>
21	EW-206-F2-EMPD (ST;CO;PORT)
Taxes go to:	(City of East Wenatchee, School Dist #206, Fire Dist #2, Eastmont Met Park Dist, State, County, Port)
55	206-F2-EMPD (ST;CO;PORT;RD;LIB)
Taxes go to:	(School Dist #206, Fire Dist #2, Eastmont Met Park Dist, State, County, Port, Road, Library)



Jim Ruud
 Douglas County Assessor
 P.O. Box 387
 213 S. Rainier St.
 Waterville, WA 98858-0609
 (509) 745-8521

District Listing

District Listing						
District	Description	Active	Factor	Excess Rate	Base Rate	Total Rate
Roll Year: 2015						
1	B-75-H1-L; (ST;CO;PORT;)	True	0.00000000	1.91083100	7.15474308	9.06557408
5	M-207-F5-H1 (ST;CO;PORT)	True	0.00000000	2.18335400	7.51787208	9.70122608
10	RI-206-F2 (ST;CO;PORT;)	True	0.00000000	4.65825700	6.85166308	11.50992008
11	RI-206-F2-EMPD (ST;CO;PORT;)	True	0.00000000	4.65825700	7.11944208	11.77769908
15	W-209-H2-C2-L-MOSQ (ST;CO;PORT;)	True	0.00000000	6.42578423	7.72343908	14.14922331
19	B-75-H1-L; (CO;PORT)	True	0.00000000	1.91083100	4.78076100	6.69159200
21	EW-206-F2-EMPD-L (ST;CO;PORT;)	True	0.00000000	4.65825700	6.97844108	11.63669808
25	CD-302J-H6-L-CAP (ST;CO;PORT;)	True	0.00000000	4.66714300	7.23354908	11.90069208
50	206-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	6.43621208	11.09446908
51	206-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	6.85050508	11.50876208
52	206-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	6.84318808	11.50144508
53	206-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.01284300	7.23096208	12.24380508
54	206-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.01284300	7.22364508	12.23648808
55	206-F2-EMPD (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	7.19663108	11.85488808
59	M-207-H1 (CO;PORT)	True	0.00000000	1.85585600	4.51045400	6.36631000
91	12J-F4 (ST;CO;PORT;RD;LIBRARY;)	True	0.00000000	2.28661181	6.85050508	9.13711689
92	12J-F5 (ST;CO;PORT;RD;LIBRARY)	True	0.00000000	2.61410981	6.80186908	9.41597889
93	12J-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.64119781	7.23096208	9.87215989
95	13-F4-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.54815700	6.89067708	9.43883408
96	13-F4-H2-C1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.90274300	7.27113408	10.17387708
100	13-F1-H2-C1 (ST;CO;PORT;RD;LIB)	True	0.00000000	2.90274300	7.26381708	10.16656008
109	RI-206-F2 (CO;PORT)	True	0.00000000	4.65825700	4.47768100	9.13593800
110	302J-F3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.66714300	6.85883808	11.52598108
112	302J-F3-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.66714300	6.87152908	11.53867208

115	302J-F5-H3-CAP (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.99464100	6.81456008	11.80920108
119	RI-206-F2-EMPD (CO;PORT)	True	0.00000000	4.65825700	4.74546000	9.40371700
159	W-209-H2-C2-L (CO;PORT)	True	0.00000000	6.18545400	5.34945700	11.53491100
180	55J (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.97234100	6.16843308	11.14077408
182	55J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	4.97234100	6.54809408	11.52043508
190	75-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.23832900	6.81456008	9.05288908
196	75-F3-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	6.87152908	8.78236008
210	75-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	6.80011708	8.71094808
215	75-FJ15-H1-EMS (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.18956600	8.06018908	10.24975508
216	75-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.23832900	7.43355308	9.67188208
217	75-FJ15-H1-EMS-BAR (ST,CO,PT,RD,L)	True	0.00000000	2.18956600	8.06018908	10.24975508
219	EW-206-F2-EMPD-L (CO;PORT)	True	0.00000000	4.65825700	4.60445900	9.26271600
220	75-F3-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	7.49052208	9.40135308
235	101J-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.13233200	6.92885208	10.06118408
240	102 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.02037200	6.16843308	8.18880508
241	102-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.63630400	7.30405008	9.94035408
242	102-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.02037200	6.92885208	8.94922408
243	102-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.37495800	7.22364508	9.59860308
245	209 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	6.16843308	11.73795508
246	209-F4-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	7.23096208	13.15507008
247	209-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	6.54889008	12.47299808
248	209-F1-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	7.22364508	13.14775308
249	209-F4 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	6.85050508	12.42002708
250	209-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	6.18545400	7.30405008	13.48950408
251	209-F1-C2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.83086800	6.92359308	12.75446108
252	209-F1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	6.84318808	12.41271008
253	209-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	6.54809408	12.11761608
254	209-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	6.92885208	12.49837408
259	CD-302J-H6-L-CAP (CO;PORT)	True	0.00000000	4.66714300	4.85956700	9.52671000
261	209-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	6.25160600	7.18232608	13.43393208
262	209-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.89702000	7.43355308	13.33057308
263	209-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.89702000	6.80186908	12.69888908
270	207-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	1.85585600	6.54809408	8.40395008

271	207-F1-H2-C2 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.47178800	7.30405008	9.77583808
272	207-F1-H2-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.21044200	7.28756308	9.49800508
275	207-F5-H1 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	7.43355308	9.61690708
276	207-F5-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.53794000	7.18232608	9.72026608
277	207-F5 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	6.80186908	8.98522308
278	207-F5-H1-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.18335400	7.49747108	9.68082508
279	207-F5-H2-C3 (ST;CO;PT;RD;LIB;)	True	0.00000000	2.53794000	7.24624408	9.78418408
280	207-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	2.13459100	8.06018908	10.19478008
281	207-F5-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	6.86578708	9.04914108
282	207-F5-H3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	6.81456008	8.99791408
290	203J-FJ15-H1-EMS(ST;CO;PORT;RD;L)	True	0.00000000	2.99507600	8.06018908	11.05526508
291	203J-FJ15-H1-EMS-BAR (ST;CO;PORT;RD;L)	True	0.00000000	2.99507600	8.06018908	11.05526508
295	151J (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.62916300	6.16843308	9.79759608
296	151J-H2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.98374900	6.54889008	10.53263908
298	151J-F8-C3 (ST;CO;PORT;RD;LIB;)	True	0.00000000	3.62916300	6.54809408	10.17725708
300	151J-F5-H1-C3 (ST;CO;PT;RD;LIB)	True	0.00000000	3.95666100	7.49747108	11.45413208
305	151J-F5-H3 (ST;CO;PORT;RD;LIB)	True	0.00000000	3.95666100	6.81456008	10.77122108
306	151J-F5-C3 (ST;CO;PORT;RD;LIB)	True	0.00000000	3.95666100	6.86578708	10.82244808
509	206-EMPD (CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	4.06223000	8.72048700
519	206-F4 (CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	4.47652300	9.13478000
529	206-F1 (CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	4.46920600	9.12746300
539	206-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.01284300	4.85698000	9.86982300
549	206-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.01284300	4.84966300	9.86250600
559	206-F2-EMPD (CO;PORT;RD;LIB;)	True	0.00000000	4.65825700	4.82264900	9.48090600
919	12J-F4 (CO;PORT;RD;LIBRARY;)	True	0.00000000	2.28661181	4.47652300	6.76313481
929	12J-F5 (CO;PORT;RD;LIBRARY)	True	0.00000000	2.61410981	4.42788700	7.04199681
939	12J-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.64119781	4.85698000	7.49817781
959	13-F4-C1 (CO;PORT;RD;LIB;)	True	0.00000000	2.54815700	4.51669500	7.06485200
969	13-F4-H2-C1 (CO;PORT;RD;LIB;)	True	0.00000000	2.90274300	4.89715200	7.79989500
1009	13-F1-H2-C1 (CO;PORT;RD;LIB)	True	0.00000000	2.90274300	4.88983500	7.79257800
1109	302J-F3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.66714300	4.48485600	9.15199900
1129	302J-F3-H3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.66714300	4.49754700	9.16469000
1159	302J-F5-H3-CAP (CO;PORT;RD;LIB;)	True	0.00000000	4.99464100	4.44057800	9.43521900

1809	55J (CO;PORT;RD;LIB;)	True	0.00000000	4.97234100	3.79445100	8.76679200
1829	55J-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	4.97234100	4.17411200	9.14645300
1909	75-F5-H3 (CO;PORT;RD;LIB;)	True	0.00000000	2.23832900	4.44057800	6.67890700
1969	75-F3-H3 (CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	4.49754700	6.40837800
2109	75-H1 (CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	4.42613500	6.33696600
2159	75-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.18956600	5.68620700	7.87577300
2169	75-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	2.23832900	5.05957100	7.29790000
2179	75-FJ15-H1-EMS-BAR (CO;PT;RD;L)	True	0.00000000	2.18956600	5.68620700	7.87577300
2209	75-F3-H1 (CO;PORT;RD;LIB;)	True	0.00000000	1.91083100	5.11654000	7.02737100
2359	101J-F2 (CO;PORT;RD;LIB;)	True	0.00000000	3.13233200	4.55487000	7.68720200
2409	102 (CO;PORT;RD;LIB;)	True	0.00000000	2.02037200	3.79445100	5.81482300
2419	102-F1-H2-C2 (CO;PT;RD;LIB;)	True	0.00000000	2.63630400	4.93006800	7.56637200
2429	102-F2 (CO;PORT;RD;LIB;)	True	0.00000000	2.02037200	4.55487000	6.57524200
2439	102-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.37495800	4.84966300	7.22462100
2459	209 (CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	3.79445100	9.36397300
2469	209-F4-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	4.85698000	10.78108800
2479	209-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	4.17490800	10.09901600
2489	209-F1-H2 (CO;PORT;RD;LIB;)	True	0.00000000	5.92410800	4.84966300	10.77377100
2499	209-F4 (CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	4.47652300	10.04604500
2509	209-F1-H2-C2 (CO;PT;RD;LIB;)	True	0.00000000	6.18545400	4.93006800	11.11552200
2519	209-F1-C2 (CO;PORT;RD;LIB;)	True	0.00000000	5.83086800	4.54961100	10.38047900
2529	209-F1 (CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	4.46920600	10.03872800
2539	209-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	4.17411200	9.74363400
2549	209-F2 (ST;CO;PORT;RD;LIB;)	True	0.00000000	5.56952200	4.55487000	10.12439200
2619	209-F5-H2 (CO;PORT;RD;LIB;)	True	0.00000000	6.25160600	4.80834400	11.05995000
2629	209-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	5.89702000	5.05957100	10.95659100
2639	209-F5 (CO;PORT;RD;LIB;)	True	0.00000000	5.89702000	4.42788700	10.32490700
2709	207-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	1.85585600	4.17411200	6.02996800
2719	207-F1-H2-C2 (CO;PT;RD;LIB;)	True	0.00000000	2.47178800	4.93006800	7.40185600
2729	207-F1-H2-C3 (CO;PT;RD;LIB;)	True	0.00000000	2.21044200	4.91358100	7.12402300
2759	207-F5-H1 (CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	5.05957100	7.24292500
2769	207-F5-H2 (CO;PORT;RD;LIB;)	True	0.00000000	2.53794000	4.80834400	7.34628400
2779	207-F5 (CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	4.42788700	6.61124100

2789	207-F5-H1-C3 (CO;PT;RD;LIB;)	True	0.00000000	2.18335400	5.12348900	7.30684300
2799	207-F5-H2-C3 (CO;PT;RD;LIB;)	True	0.00000000	2.53794000	4.87226200	7.41020200
2809	207-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.13459100	5.68620700	7.82079800
2819	207-F5-C3 (CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	4.49180500	6.67515900
2829	207-F5-H3 (CO;PORT;RD;LIB;)	True	0.00000000	2.18335400	4.44057800	6.62393200
2909	203J-FJ15-H1-EMS (CO;PORT;RD;LIB;)	True	0.00000000	2.99507600	5.68620700	8.68128300
2919	203J-FJ15-H1-EMS-BAR (CO,PORT,RD,L)	True	0.00000000	2.99507600	8.06018908	11.05526508
2959	151J (CO;PORT;RD;LIB;)	True	0.00000000	3.62916300	3.79445100	7.42361400
2969	151J-H2 (CO;PORT;RD;LIB;)	True	0.00000000	3.98374900	4.17490800	8.15865700
2989	151J-F8-C3 (CO;PORT;RD;LIB;)	True	0.00000000	3.62916300	4.17411200	7.80327500
3009	151J-F5-H1-C3 (CO;PT;RD;LIB;)	True	0.00000000	3.95666100	5.12348900	9.08015000
3059	151J-F5-H3 (CO;PORT;RD;LIB;)	True	0.00000000	3.95666100	4.44057800	8.39723900
3069	151J-F5-C3 (CO;PORT;RD;LIB;)	True	0.00000000	3.95666100	4.49180500	8.44846600