

**STAFF REPORT
RIVERLAKE JOINT USE DOCKS AND BOATLIFTS**

TO: Douglas County Hearing Examiner
FROM: Douglas County Land Services Staff
RE: Riverlake, SP-13-15
DATE: March 9, 2015

I. GENERAL INFORMATION

Requested Action: An application for a shoreline substantial development permit for the installation of 4 joint use docks and access trails, and 8 boatlifts serving 8 lots.

Location: The subject property is described as being located within the SE Quarter of Section 9, Township 26N., Range 22 E., W.M., Douglas County, Washington. The shoreline designation is Rural Conservancy. The docks will be serving parcel numbers: 69900100100, 69900100200, 69900100300, 69900200100, 69900200200, 69900200300, 69900200400, 69900200500. The docks will be located on parcel 26220910001 owned by Chelan County PUD.

II. SITE INFORMATION

Site Characteristics: The subject properties have been significantly disturbed as part of the historic orchard use of the properties. On all lots, the historic orchard was located approximately 10-15 feet landward of the OHWM. Small scattered patches of riparian vegetation are present in this zone, but typically shoreline vegetation consists of weeds and grasses with rock armoring on the shoreline. The majority of the properties consist of gradually sloped mowed and maintained uplands, consisting of orchard grass and weedy species. For a detailed site description for each area please refer to Section 3 of the habitat management and mitigation plan.

Zoning and Development Standards: The subject property is located within the Rural Resource 5 acres (RR-5) Zoning District. The purpose of the RR-5 rural resource district is to provide an area for a variety of rural lifestyles, hobby farms, densities, and open space, while protecting the rural and resource characteristics in the vicinity. This district provides an opportunity for compatible rural land uses, and is sensitive to the site's physical characteristics. RR-5 districts are often located adjacent to urban growth areas or existing rural development of higher densities, are intended as a transition, and provide a buffer area between commercial agricultural areas or more intense development areas. These areas may be incorporated into the urban area at a future date. This district is also appropriate for areas that currently have a range of rural densities or land parcel sizes generally less than twenty acres in size and/or have adequate rural levels of services available such as roads, schools, and fire protection. Clustering or other innovative techniques for residential lots are encouraged provided that the density does not encourage urban levels of service and provide significant open space corridors and protection of critical areas.

III. COMPREHENSIVE PLAN:

The Douglas County Countywide Comprehensive Plan designates this property as Rural Resource 5 acres. The following goals and policies set forth in the comprehensive plan are relevant to this development:

RURAL:

POLICY RD-4: Development and recreational opportunities in rural shoreline and other rural areas shall minimize potential adverse impacts to water quality, slope stability, vegetation, wildlife and aquatic life.

CRITICAL AREAS – FISH AND WILDLIFE HABITAT CONSERVATION AREAS

GOAL 2: Protect fish and wildlife habitat areas as an important natural resource for Douglas County, particularly in regard to their economic, aesthetic and quality of life values.

POLICY CA-15: Impacts of new development on the quality of land, wildlife and vegetative resources will be considered as part of the environmental review process and require any appropriate mitigating measures. Such mitigation may involve the retention and/or enhancement of habitats.

POLICY CA-16: The maximum amount of vegetation should be maintained in its natural state and be disturbed only as minimally necessary for the development. Disturbed areas should be re-vegetated with native vegetation as soon as possible. Re-vegetation will be maintained in good growing conditions, as well as being kept free of noxious weeds.

POLICY CA 17: If a development proposal is located in or near a habitat conservation area shown on the reference maps, a consultation and subsequent mitigation measures, if needed, should be encouraged from the WDFW or other appropriate agency.

POLICY CA-20: Proper riparian management that maintains existing riparian habitat and is consistent with best agricultural management practices should be encouraged.

POLICY CA-21: Ensure that land uses adjacent to naturally occurring wetlands and other fish and wildlife habitat areas will not negatively impact the habitat areas. If a change in land use occurs, adequate buffers will be provided to the habitat areas.

POLICY CA-22: Activities allowed in fish and wildlife habitat conservation areas and open space will be consistent with the species located there, including all applicable state and federal regulations and/or best management practices for the activity regarding that species.

IV. SHORELINE MASTER PROGRAM

The Douglas County Shoreline Master Program classifies this reach of the Columbia River shoreline as Rural Conservancy. The purpose of the rural conservancy environment is to protect ecological functions, conserve existing natural resources and valuable historic and cultural areas in order to provide for sustained resource use, achieve natural flood plain processes, and provide recreational opportunities.

A listing of the applicable policies and regulations are found in the analysis section of this staff report.

WASHINGTON ADMINISTRATIVE CODE (WAC)

WAC 173-27 provides updated rules for administering the Shoreline Management Act (RCW 90.58) and the local master program. WAC 173-27-150, establishes minimum review criteria for substantial development permits. This criteria states that a substantial development permit shall be granted only when the proposed development is consistent with:

- The policies and procedures of the Act;
- The provisions of this regulations; and
- The applicable master program adopted or approved for the area.

V. ENVIRONMENTAL REVIEW

Douglas County issued a Determination of Non-significance on March 3, 2015 in accordance with WAC 197-11-355 (Optional DNS).

VI. AGENCY AND PUBLIC COMMENTS:

Applicable agencies have been given the opportunity to review this proposal. The following agencies have been sent copies of the proposal and have commented as indicated below:

Agency Notified	Response Received	Agency Notified	Response Received
WA Department of Ecology	N/R	WA Dept of Fish & Wildlife	N/R
Chelan County PUD	1/3/14	Army Corps of Engineers	N/R
WA Dept of Natural Resources	N/R	Yakama Tribes	N/R

* N/R = No Reply

Agency comments have been included as Attachment A.

No public comments were received at the writing of this staff report.

VII. PROJECT ANALYSIS

Upon review of the application materials, site plans, public and agency comments, the Douglas County Countywide Comprehensive Plan, and applicable codes and requirements, planning staff offers the following analysis and recommendations for the subject application:

Comprehensive plan consistency:

Residential development and recreational opportunities in shoreline areas of the Rural Resource 5 land use designation can be considered when potential adverse impacts to water quality, slope stability, vegetation, wildlife and aquatic life have been sufficiently

addressed. Critical area policies place preference on the protection of and preservation of wetlands over the alteration and mitigation of impacts to wetlands. The proposal is consistent with the goals and policies of the Douglas County Countywide Comprehensive Plan.

Consistency with the Douglas County Shoreline Master Program

Docks are a permitted use in the Rural Conservancy shoreline designation.

4.1 ECOLOGICAL PROTECTION AND CRITICAL AREAS

POLICY 1: Shoreline use and development should occur in a manner that assures no net loss of existing ecological functions and processes and protects critical areas. Uses should be designed and conducted to avoid, minimize, or to fully mitigate in so far as practical, any damage to the ecology and environment.

The project cannot avoid damage to the aquatic environment. However, the project has been designed to minimize damage and to fully mitigate pursuant to adopted mitigation ratios.

REGULATION 1: Mitigation sequencing – applicants shall demonstrate all reasonable efforts have been taken to mitigate potential adverse impacts in the following prioritized order:

- a. Avoiding the impact altogether by not taking a certain action or parts of an action;

The project is located in the aquatic environment and therefore cannot avoid impacts.

- b. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;

The project is designed to minimize impacts by utilizing current state and federal dock design.

- c. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment to the conditions existing at the time of the initiation of the project;

The project includes new structures to be placed in the aquatic environment, therefore rectifying the impact is not possible.

- d. Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action;

The project includes new structures to be placed in the aquatic environment, therefore reducing or eliminating the impact over time via this permit is not possible. The possibility does exist that a future dock design would reduce

impacts however implementation of that new design would require a future permit and analysis.

- e. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and

The project is proposing mitigation per the adopted mitigation ratios that will compensate for the impact. Suggested conditions of approval require installation of mitigation per the approved plan. Additionally, all of the mitigation is proposed to be placed in one location which will result in a larger, higher functioning mitigation site.

- f. Monitoring the impact and the compensation projects and taking appropriate corrective measures.

Suggested conditions of approval require that the mitigation measures be monitored for 5 years after installation to determine survivability and corrective measures be taken if survivability is not achieved.

4.2 WATER QUALITY

REGULATION 5: All building materials that may come in contact with water shall be constructed of untreated wood, cured concrete or steel. Materials used for decking or other structural components shall be approved by applicable state agencies for contact with water to avoid discharge of pollutants. Wood treated with creosote, arsenate compounds, copper chromium arsenic or pentachlorophenol is prohibited in shoreline water bodies.

The float framing is proposed to be constructed of non-treated timber or aluminum. Decking and structural component materials shall be of a type approved by state agencies to avoid discharge of pollutants.

4.3 VEGETATION CONSERVATION

REGULATION 2: Where impacts to buffers are permitted under Section 4.1, Ecological Protection and Critical Areas, new developments shall be required to develop and implement a management and mitigation plan. When required, management and mitigation plans shall be prepared by a qualified biologist and shall be consistent with the requirements of Appendix H. Management and mitigation plans shall describe actions that will ensure no net loss of ecological functions. Vegetation shall be maintained over the life of the use and/or development by means of a conservation easement or similar legal instrument recorded with the County Auditor.

A fish and wildlife management and mitigation plan prepared by Grette & Associates was submitted in the application materials.

REGULATION 4: Native vegetation clearing shall be limited to the minimum necessary to accommodate approved shoreline development.

The dock accesses are proposed to be located in areas that minimize impacts to native vegetation.

4.7 Restoration

POLICY 2: Mitigation associated with shoreline development projects shall be designed to achieve no net loss of ecological function.

A fish and wildlife management and mitigation plan prepared by Grette & Associates was submitted in the application materials. The plan identifies that the project will result in no net loss of ecological function.

5.10 Moorage: docks, piers, watercraft lifts, mooring buoys, floats

POLICY 4: Moorage should be spaced and oriented in a manner that minimizes hazards and obstructions to navigation and other water-oriented activities such as fishing, swimming and pleasure boating, as well as property rights of adjacent land owners.

The project proposes to locate the docks in central locations for access by both of the lots. The docks will not pose a hazard to navigation.

POLICY 5: Moorage should be restricted to the minimum size necessary to meet the needs of the proposed water-dependent use. The length, width and height of piers and docks should be no greater than necessary for safety and functional use.

The project proposes moorage structures that are the minimum size necessary.

REGULATION 1: Shared moorage to serve new residential development shall be limited to the amount of moorage needed to serve lots within the development.

The dock sizes are designed to serve each of the lots assigned to each dock.

REGULATION 6: New and substantially expanded piers and docks shall be constructed of materials that are approved by applicable federal and state agencies for use in water to avoid adverse effects on water quality or aquatic plants and animals in the long-term for both submerged portions of the dock and decking and other components. Wood treated with creosote, pentachlorophenol or other similarly toxic materials is prohibited.

The construction materials proposed will be approved by the applicable federal and state agencies for use in water.

REGULATION 7: Moorage facilities shall be the minimum size necessary to meet the needs of the proposed waster-dependent use and shall observe the following criteria:

- a. If allowed, only one private dock with one accessory float, and two watercraft lifts (the combination of one boat and one jet ski or other watercraft together) shall be permitted on a shoreline lot owned for residential or private recreational use.

The proposed project is for 4 joint use docks each to serve 2 lots.

- b. Docks with or without a float shall be the minimum required to provide for moorage. Commercial docks shall be the minimum length necessary to serve the type of vessel served. Exceptions to these length standards are addressed below.

The proposed project is for two floats per dock.

- c. Docks on the Columbia River that exceed 100 feet in length or docks which exceed 50 feet in length on a lake or sites with unique characteristics that may create navigational safety hazards shall prepare a navigational safety study.

The proposed docks range from 99 feet to 121 feet out from OHWM. The Army Corps of Engineers is the agency with expertise over navigational safety. The suggested conditions of approval require that prior to construction the applicant obtain a permit from the ACOE.

- d. Moorage shall be designed to avoid the need for maintenance dredging. The moorage of a boat larger than provided for in the original moorage design shall not be grounds for approval of dredging.

The location does not indicate the need for maintenance dredging.

REGULATION 8: When a public utility district, PUD, owns land between residential development and the ordinary high water mark of the shoreline, the following requirements shall apply:

- a. Applications for moorage facilities must include authorization from the applicable PUD, in order for application materials to be determined complete. Authorization will either consist of a written letter or signature on the application by the PUD.

The Chelan County PUD has signed the JARPA.

- b. Where proposed moorage facilities receive shoreline permit approval, permit conditions shall require that the county or city receive written verification from the PUD of compliance with all applicable standards of the PUD prior to site work commencing or building permit issuance by the jurisdiction.

Conditions of approval require that prior to building permit issuance that the applicant provide documentation that all agencies with jurisdiction (including Chelan PUD) have issued their respective approvals.

REGULATION 9: In order to minimize impacts on near shore areas and avoid reduction in ambient light level:

- a. Pier and ramp construction must meet the following standards:
 - 1) The width of piers and ramps shall not exceed 4 feet for single or joint-use docks. Greater widths may be permitted for community, public or commercial docks where use patterns can justify the increase;
 - 2) The bottom of the pier or bottom of the landward edge of a ramp, must be elevated at least 2 feet above the plan of OHWM;
 - 3) Pier and/or ramp surfaces are to consist of either grating or clear translucent material; and

- 4) Pier and ramp construction shall meet or exceed the standards and/or requirements of the Washington State Departments of Ecology, Fish and Wildlife, and Natural Resources and the United States Army Corps of Engineers.
- b. Float construction must meet the following standards:
 - 1) Any float materials that are in contact with the water must be white or translucent;
 - 2) Floatation materials must be permanently encased to prevent breakup and release of small floatation pieces;
 - 3) Decking or surface area of the float must consist of either grating or clear translucent material;
 - 4) Floats cannot be located where they could impede fish passage; and
 - 5) Float construction shall meet or exceed the standards and/or requirements of the Washington State Departments of Ecology, fish and Wildlife, and Natural Resources and the United Stated Army Corps of Engineers.

Proposed design meets the above listed construction standards.

REGULATION 11: Piers and docks shall use pile supports unless engineering studies demonstrate that pile supports are insufficient to ensure public safety. Rip-rapped or bulkheaded fills may be approved only as a conditional use and only when demonstrated that no feasible alternative is available. Mitigation shall be provided to ensure no net loss of shoreline ecological functions and processes.

The project proposes to utilize pile supports.

REGULATION 15: Moorage facilities shall be marked with reflectors, or shall be otherwise identified to prevent unnecessarily hazardous conditions for water surface users during day or night. Exterior finish shall be generally non-reflective.

Suggested conditions of approval require that the docks be marked with reflectors or otherwise identified.

REGULATION 16: Moorage facilities shall be constructed and maintained so that no part of a facility creates hazardous conditions nor damages other shore property or natural features during predictable flood conditions. Floats shall be securely anchored.

The docks are designed and secured so that it will not damage shoreline property or natural features.

REGULATION 21: All moorage facilities must permanently mark all of the components with name, address, telephone number and date of installation.

Suggested conditions of approval requires that the docks and boat lifts be permanently marked for identification.

REGULATION 23: Moorage facilities shall avoid locations that will adversely impact shoreline ecological functions or processes.

The docks and boat lifts are proposed to be located in the most appropriate shoreline location on the subject property.

Appendix H, Chapter 3: Critical Areas – Fish and Wildlife Habitat Conservation Areas

The Fish and Wildlife Habitat Management and Mitigation plan provides an Aquatic Buffer Habitat Assessment which identifies that a 100 foot buffer is applicable for all 8 lots consistent with Appendix H, Chapter 3 of the SMP.

The installation of the docks, boatlifts and access trails will impact the aquatic and riparian environment. A fish and wildlife habitat management and mitigation plan has determined that a total of 5,464 square feet of habitat will be disturbed. The plan proposes 11,350 square feet of riparian vegetation plantings. The Army Corps is requiring a 2.35:1 mitigation ratio for docks and a 2.44:1 mitigation ratio for boatlifts. The Douglas County SMP requires a 1:1 mitigation ratio for disturbance of non-native plants within the Aquatic Habitat Buffer. A detailed breakdown of the required mitigation for each joint use dock can be found in section 5 of the management and mitigation plan. A planting plan is proposed on pages 17 thru 21 of the diagrams in the Fish & Wildlife Habitat Management and Mitigation Plan.

As conditioned, the proposal is consistent with this section.

Consistency with WAC 173-27 and RCW 90.58:

As conditioned below, the project appears consistent with the requirements and criteria of the Shoreline Management and Enforcement Procedures, and the Shoreline Management Act

Agency/Public Comment

Chelan County Public Utility District

The PUD commented that the district owns old highway right-of-way between the subject properties and the river and that the proposed docks would be located on PUD owned property.

Since this comment was provided; the applicant has amended the application materials to reflect the PUD ownership and has obtained the PUD's signature on the application.

VIII. RECOMMENDATION

As conditioned below, this application does not appear to be detrimental to the general public health, safety or welfare and meets the basic intent and criteria associated with Title 18 and 19 of the Douglas County Code, the Douglas County Countywide Comprehensive Plan, and the Douglas County Shoreline Master Program. Staff recommends approval of SP#13-15, subject to the following findings of fact and conditions:

Suggested Findings of Fact

1. The applicants are Riverlake LLC, 450 Ferguson Dr., Mountain View CA; Tim Chiangpradit, 7501 8th Ave NE, Seattle WA; Peter Doman, 4714 118th Pl SE, Everett WA; Doug Schreifels, 12407 12th St SE, Lake Stevens WA; Darryl Cloer, 12919 29th Ave SE, Everett WA; Keith Krassins, 22468 Sawyer Ridge Way, Black Diamond WA; Paul Debaun, 8648 NE 123rd Pl, Kirkland WA; Public Utility District No 1 of Chelan County, 327 N Wenatchee Ave, Wenatchee WA.
2. General Description: An application for a shoreline substantial development permit for the installation of 4 joint use docks and access trails, and 8 boatlifts serving 8 lots.
3. The subject property is described as being located within the SE Quarter of Section 9, Township 26N., Range 22 E., W.M., Douglas County, Washington. The shoreline designation is Rural Conservancy. The docks will be serving parcel numbers: 69900100100, 69900100200, 69900100300, 69900200100, 69900200200, 69900200300, 69900200400, 69900200500. The docks will be located on parcel 26220910001 owned by Chelan County PUD.
4. The Comprehensive Plan Designation is Rural Resource 5 Acres.
5. The subject property is located in the RR-5 zoning district.
6. The Columbia River Shoreline section of the subject property is designated as "Rural Conservancy" by the Douglas County Shoreline Master Program.
7. WAC 173-27-150 establishes minimum review criteria for Shoreline Management Substantial Development Permits. This criteria states that a substantial development permit shall be granted only when the development proposed is consistent with the policies and procedures of the Act; the provisions of this regulation; and the applicable master program adopted or approved for the area.
8. A fish and wildlife habitat management and mitigation plan dated September 2013 was performed for the project by Grette & Associates.
9. The installation of the docks, boatlifts and access trails will impact the aquatic and riparian environment. A fish and wildlife habitat management and mitigation plan has determined that a total of 5,464 square feet of habitat will be disturbed. The plan proposes 11,350 square feet of riparian vegetation plantings. A planting plan is proposed on pages 17 thru 21 of the diagrams in the Fish & Wildlife Habitat Management and Mitigation Plan.
10. The mitigation proposed in the Fish and Wildlife Management and Mitigation Plan meets the requirements of the Douglas County Regional Shoreline Master Program.
11. Comments from reviewing agencies have been considered and addressed where appropriate.
12. Douglas County issued a Determination of Non-significance on March 3, 2015 in accordance with WAC 197-11-355 (Optional DNS).
13. Surrounding property owners were given the opportunity to comment on the proposals, can request a copy of the decision, and can appeal the decision subject to the requirements outlined in DCC Title 14.
14. Proper legal requirements were met and surrounding property owners were given the opportunity to comment on the proposal at a public hearing.
15. WAC 173-27-090 requires that construction must be commenced within 2 years of the effective date of the shoreline permit and that authorization for construction shall terminate 5 years after the effective date of the shoreline permit.
16. As conditioned, the development will not adversely affect the general public, health, safety and general welfare.

Suggested Conclusions:

1. As conditioned, the development meets the goals, policies and implementation recommendations as set forth in the Douglas County Countywide Comprehensive Plan and the Douglas County Shoreline Master Program.
2. As conditioned, this proposal is consistent with applicable federal and state laws and regulations.
3. As proposed, revised, and conditioned, potential impacts of the project can be mitigated.
4. Public interests will be served by approval of this proposal.
5. As conditioned, the proposal is consistent with Title 18 "Zoning" and Title 19 "Environment" of the Douglas County Code.

Suggested Conditions of Approval

1. The project shall proceed in substantial conformance with the plans and application materials of file submitted on October 25, 2013 and February 18, 2015 except as amended by the conditions herein.
2. The applicant shall comply with all applicable local, state and federal regulations.
3. A copy of this permit and attached conditions shall be kept on-site and provided to the contractor and all others working within the shoreline area at all times. The applicant, contractor, machinery operators and all others working within the shoreline area shall have read this permit and attached conditions and shall follow its conditions at all times.
4. The dock shall be marked with reflectors, or shall be otherwise identified to prevent unnecessarily hazardous conditions for water surface users during day or night. Documentation shall be provided with the building permit application.
5. The dock and boatlifts shall be permanently marked with name, address, telephone number and date of installation. Documentation shall be provided with the building permit application.
6. The project application shall proceed consistent with the Fish & Wildlife Habitat Management and Mitigation Plan prepared by Grette & Associates, dated September 2013.
7. Where necessary, a permanent means of irrigation shall be installed for the mitigation plantings that are designed by a landscape architect or equivalent professional. Said design shall meet the specific needs of riparian and shrub steppe vegetation.
8. Mitigation planting as shown on the mitigation planting plan sheet 17 thru 21, dated August 13, 2013 shall be planted upon completion of the first dock.
9. A performance surety agreement covering all of the proposed mitigation in conformance with Title 14, D.C.C. shall be entered into between all of the property owners and Douglas County Transportation and Land Services prior to issuance of the first building permit. Douglas County must approve quotes for the cost of installation, delivery, plant material, soil amendments, irrigation, seed mix and necessary monitoring visits and reports by the biologist of record and Washington State sales tax.
10. The mitigation site shall be maintained to ensure the management and mitigation plan objectives are successful. Maintenance shall ensure 80% survival during the 5 year monitoring period and shall include corrective actions to rectify problems, include rigorous, as-needed elimination of undesirable plants; protection of shrubs

and small trees from competition by grasses and herbaceous plants, and repair and replacement of any dead plants.

11. A five year monitoring period shall commence upon placement of the planting materials and irrigation system. A performance surety agreement in conformance with Title 14 of Douglas County Code shall be entered into between the property owner and Douglas County Transportation and Land Services. Douglas County must approve quotes for the cost of installation, delivery, plant material, soil amendments, permanent irrigation, seed mix, and 3 monitoring visits and reports by a qualified biologist, and the quotes shall include Washington State sales tax.
12. Onsite monitoring and monitoring reports shall be submitted to Douglas County Transportation and Land Services 1 year after mitigation installation; 3 years after mitigation installation; and 5 years after mitigation installation. Monitoring reports shall be submitted by a qualified biologist, as defined by Douglas County Code. The biologist must verify that the conditions of approval and provisions in the fish & wildlife habitat management and mitigation plan submitted by Grette & Associates, dated September 2013 have been satisfied.
13. Sequential release of funds associated with the surety agreement shall be reviewed for conformance with the conditions of approval and the management and mitigation plan. Release of funds may occur in increments of 1/3 for substantial conformance with the plan and conditions of approval. If the standards that are not met are only minimally out of compliance and contingency actions are actively being pursued by the property owner to bring the project into compliance, the County may choose to consider a partial release of the scheduled increment. Non-compliance can result in one or more of the following actions: carry over of the surety amount to the next review period; use of funds to remedy the nonconformance; scheduling a hearing with the Douglas County Hearing Examiner to review conformance with the conditions of approval and to determine what actions may be appropriate.
14. Where a condition imposed herein may be found inconsistent with the requirements of the Washington State Department of Fish and Wildlife, HPA Permit, or permitting issued by the United States Army Corps of Engineers, the Douglas County Land Services Director shall have discretion to allow for project redesign consistent with the approvals granted by said agencies; if the redesign can be found consistent with the Douglas County Code, the Shoreline Master Program, and the Shoreline Management Act.
15. Construction of the project for which this permit has been granted must be commenced within two (2) years of the effective date of this permit. Authorization to conduct development activities granted by the permit shall terminate five (5) years from the filing date of the permit.

Respectfully Submitted,



Curtis Lillquist, A.I.C.P.
Principal Planner

Attachments

Attachment A

Curtis Lillquist (x6588)

From: Graves, Lisa <lisa.graves@chelanpud.org>
Sent: Friday, January 03, 2014 3:25 PM
To: Curtis Lillquist (x6588)
Cc: Gerber, Jackie
Subject: Comment on SP-13-15, River Lake, Chiangpradit, Doman, Schreifels, Cloer, Krassins, Debaun

Curtis,

Chelan County PUD (District) acquired the old right-of-ways for Primary State Highway No. 2 and Secondary State Highway No. 10-D in Section 9, Township 26 North, Range 22 East, WM, in 1965. The deed conveying the old roadways is recorded in Book 161 Page 551, under AFN 144017.

After reviewing the proposed dock plans and the state right-of-way maps, it appears the proposed dock at the mutual property line for parcels 69900100100 and 69900100200 may be planned to be installed on property owned by the District. It will be necessary to locate by survey the boundaries of the District's property before final comments can be submitted on this project. Please have the applicant contact me to discuss this and schedule a survey.

I look forward to working with the applicant to answer the District's questions and allowing the applicant to move forward once the District's concerns are addressed. Thank you.

Lisa

Lisa Graves | Real Estate Specialist | PUD #1 of Chelan County
(509) 661-4196 | lisa.graves@chelanpud.org