

**STAFF REPORT
WICKERISH/HAMACK DOCK & BOATLIFTS**

TO: Douglas County Hearing Examiner
FROM: Douglas County Land Services Staff
RE: SP-2017-02
DATE: June 12, 2017

I. GENERAL INFORMATION

Requested Action: An application for a shoreline substantial development permit to install a residential joint-use dock and two ground-based boatlifts on the Columbia River.

Location: The dock and boatlifts will serve 10 and 14 Dewie Drive, Orondo. The properties are described as Lots 3 and 4 of the Blue Heron Shores Short Plat, located within the northern half of Section 32, Township 25N, Range 21E., W.M., Douglas County, Washington. The properties are within the shoreline residential shoreline environment of the Columbia River. The Douglas County Assessor's Parcel Numbers are: 25213210047 and 25213210048.

II. SITE INFORMATION

Site Characteristics: Currently, the properties consist of mowed and maintained orchard/lawn grass. There is a single-family residence on Lot 3 and Lot 4 is undeveloped. There is a narrow strip of native riparian vegetation immediately landward of the OHWM consisting mainly of coyote willow. Historically, the properties were used as orchards.

Project Proposal: The applicants propose to construct a permanent joint-use dock and install two (2) ground-based boatlifts on the property line between the two. The proposed dock would consist of three separate sections: a 4ft x 156ft fixed-pile pier, a 4ft x 38ft aluminum ramp, and two 8ft x 20ft floats (or a single 8ft x 40ft floats). The proposed dock would be a total of approximately 1,096 sq ft and would result in approximately 1,060 sq ft of new overwater coverage, although 100 percent of the structure would be a grated surface that allows over 60% light transference.

The ground-based boatlifts will be installed at the ends of the floats, approximately 187 ft from the OHWM in a water depth of approximately 11 ft below the OHWM. Each boatlift would have a maximum footprint of 125 sq ft although the boatlifts consist of open steel framing.

A total of 3,292 sq ft of mitigation is required, which will be planted on Lot 4 adjacent to the proposed dock.

Zoning and Development Standards: The subject properties are located within the Rural Service Center (RSC) Zoning District. The purpose of Rural Service Center district is to preserve the multi-use function and mixed land use pattern in the historic and unincorporated communities in Douglas County, as identified in the comprehensive plan. The RSC district is significant in that it provides support to the surrounding area by offering limited commercial services, lands for resource-based commercial and industrial

activities, housing options primarily for persons employed in resource-based industries and services for the traveling public. Rural service centers also provide, to a much smaller degree, limited services such as rest areas, fuel, emergency services and convenience goods to the general public traveling on rural, federal, state and county roads between urban areas. Rural levels of service provide limits to the density and intensity of uses and constrain the size of rural service centers so that they do not adversely impact surrounding resource-based uses, transportation systems or the natural environment.

III. COMPREHENSIVE PLAN:

The Douglas County Countywide Comprehensive Plan designates this property as Rural Service Center (RSC). The following goals and policies set forth in the comprehensive plan are relevant to this development:

RURAL DEVELOPMENT:

POLICY RD-4: Development and recreational opportunities in rural shoreline and other rural areas shall minimize potential adverse impacts to water quality, slope stability, vegetation, wildlife and aquatic life.

POLICY RD-7: Rural developments should consider and comply with the spirit, intent and requirements of all the chapters and sections of the comprehensive plan, including but not limited to, the Resource Lands Element and Resource and Critical Areas Conservation Element.

CRITICAL AREAS – FISH AND WILDLIFE HABITAT CONSERVATION AREAS

GOAL 1: Protect fish and wildlife habitat areas as an important natural resource for Douglas County, particularly in regard to their economic, aesthetic and quality of life values.

POLICY CA-14: Impacts of new development on the quality of land, wildlife and vegetative resources will be considered as part of the environmental review process and require any appropriate mitigating measures. Such mitigation may involve the retention and/or enhancement of habitats.

POLICY CA-15: The maximum amount of vegetation should be maintained in its natural state and be disturbed only as minimally necessary for the development. Disturbed areas should be re-vegetated with native vegetation as soon as possible. Re-vegetation will be maintained in good growing conditions, as well as being kept free of noxious weeds.

POLICY CA 16: If a development proposal is located in or near a habitat conservation area shown on the reference maps, a consultation and subsequent mitigation measures, if needed, should be encouraged from the WDFW or other appropriate agency.

POLICY CA-19: Proper riparian management that maintains existing riparian habitat and is consistent with best agricultural management practices should be encouraged.

POLICY CA-20: Ensure that land uses adjacent to naturally occurring wetlands and other fish and wildlife habitat areas will not negatively impact the habitat areas. If a change in land use occurs, adequate buffers will be provided to the habitat areas.

POLICY CA-21: Activities allowed in fish and wildlife habitat conservation areas and open space will be consistent with the species located there, including all applicable state and federal regulations and/or best management practices for the activity regarding that species.

IV. SHORELINE MASTER PROGRAM

The Douglas County Regional Shoreline Master Program classifies this reach of the Columbia River shoreline as Shoreline Residential. The purpose of the Shoreline Residential environment is to accommodate residential development and accessory structures that are consistent with the shoreline residential chapter of the Shoreline Master Program. An additional purpose is to provide appropriate public access and recreational uses.

A listing of the applicable policies and regulations are found in the analysis section of this staff report.

WASHINGTON ADMINISTRATIVE CODE (WAC)

WAC 173-27 provides updated rules for administering the Shoreline Management Act (RCW 90.58) and the local master program. WAC 173-27-150 establishes minimum review criteria for substantial development permits. The criteria states that a substantial development permit shall be granted only when the proposed development is consistent with:

- The policies and procedures of the Act;
- The provisions of these regulations; and
- The applicable master program adopted or approved for the area.

V. ENVIRONMENTAL REVIEW

Douglas County issued a Determination of Non-significance on May 24, 2017 in accordance with WAC 197-11-355 (Optional DNS).

VI. AGENCY AND PUBLIC COMMENTS:

Applicable agencies have been given the opportunity to review this proposal. The following agencies have been sent copies of the proposal and have commented as indicated below:

Agency Notified	Response Received	Agency Notified	Response Received
WA Department of Ecology	N/R	WA Dept. of Fish & Wildlife	N/R
WA Department of Ecology - Shorelines	N/R	Army Corps of Engineers	N/R
Chelan County PUD	5-17-2017	Yakama Nation	N/R
Dept. of Natural Resources – Rivers Dist.	N/R		

* N/R = No Reply

Agency comments have been included as Attachment A

No public comments were received at the writing of this staff report.

VII. PROJECT ANALYSIS

Upon review of the application materials, site plans, agency comments, the Douglas County Countywide Comprehensive Plan, the Douglas County Regional Shoreline Master Program and other applicable codes and requirements, planning staff offers the following analysis and recommendations for the subject application:

Comprehensive Plan consistency:

Residential development and recreational opportunities in shoreline areas of the Rural Service Center land use designation can be considered when potential adverse impacts to water quality, slope stability, vegetation, wildlife and aquatic life have been sufficiently addressed. Critical area policies place preference on the protection of and preservation of wetlands over the alteration and mitigation of impacts to wetlands. The proposal is consistent with the goals and policies of the Douglas County Countywide Comprehensive Plan.

Consistency with the Douglas County Shoreline Master Program

Joint-use docks and watercraft lifts are permitted uses in the Shoreline Residential shoreline designation.

4.1 ECOLOGICAL PROTECTION AND CRITICAL AREAS

POLICY 1: Shoreline use and development should occur in a manner that assures no net loss of existing ecological functions and processes and protects critical areas. Uses should be designed and conducted to avoid, minimize, or to fully mitigate in so far as practical, any damage to the ecology and environment.

The project cannot avoid damage to the aquatic environments, and the applicant states the project will not affect water quality, water supply, recreation or aesthetics of the Columbia River. The project has been designed to minimize damage and to fully mitigate per the standards set forth by the United States Army Corp of Engineers, Washington Department of Fish & Wildlife and County adopted mitigation ratios.

REGULATION 1: Mitigation sequencing – applicants shall demonstrate all reasonable efforts have been taken to mitigate potential adverse impacts in the following prioritized order:

- a. Avoiding the impact altogether by not taking a certain action or parts of an action;

The project is located in the riparian and aquatic environments and therefore cannot avoid impacts.

- b. Minimizing impacts by limiting the degree or magnitude of the action and its implementation, by using appropriate technology, or by taking affirmative steps, such as project redesign, relocation, or timing, to avoid or reduce impacts;

The project is designed to minimize impacts by utilizing current state and federal dock and boatlift design.

- c. Rectifying the impact by repairing, rehabilitating, or restoring the affected environment to the conditions existing at the time of the initiation of the project;

The project includes only new structures to be placed in the riparian and aquatic environments, therefore rectifying the impact is not possible. The new dock and boatlifts have been designed following mitigation sequencing.

- d. Reducing or eliminating the impact over time by preservation and maintenance operations during the life of the action;

The project includes new structures to be placed in the riparian and aquatic environments, therefore reducing or eliminating the impact over time via this permit is not possible. The possibility does exist that future designs would reduce impacts however implementation of that new design would require a future permit and analysis.

- e. Compensating for the impact by replacing, enhancing, or providing substitute resources or environments; and

The project is proposing mitigation per the USACE and NMFS mitigation ratios that will compensate for the impacts. Suggested conditions of approval require installation of mitigation per the approved plan.

- f. Monitoring the impact and the compensation projects and taking appropriate corrective measures.

Suggested conditions of approval require that the mitigation measures be monitored for 5 years after installation to determine survivability and corrective measures be taken if survivability is not achieved.

4.2 WATER QUALITY

REGULATION 5: All building materials that may come in contact with water shall be constructed of untreated wood, cured concrete or steel. Materials used for decking or other structural components shall be approved by applicable state agencies for contact with water to avoid discharge of pollutants. Wood treated with creosote, arsenate compounds, copper chromium arsenic or pentachlorophenol is prohibited in shoreline water bodies.

The dock, boatlifts and any structural component materials shall be of a type approved by state agencies to avoid discharge of pollutants.

4.3 VEGETATION CONSERVATION

REGULATION 2: Where impacts to buffers are permitted under Section 4.1, Ecological Protection and Critical Areas, new developments shall be required to develop and implement a management and mitigation plan. When required, management and mitigation plans shall be prepared by a qualified biologist and shall be consistent with the requirements of Appendix H. Management and mitigation plans shall describe actions that will ensure no net loss of ecological functions. Vegetation shall be maintained over

the life of the use and/or development by means of a conservation easement or similar legal instrument recorded with the County Auditor.

A Fish & Wildlife Management and Mitigation Plan prepared by Grette Associates was submitted in the application materials.

REGULATION 4: Native vegetation clearing shall be limited to the minimum necessary to accommodate approved shoreline development.

Above the OHWM the project will affect approximately 32 sq. ft. of the riparian buffer and some existing native vegetation. The proposed mitigation is expected to increase habitat function.

4.7 RESTORATION

POLICY 2: Mitigation associated with shoreline development projects shall be designed to achieve no net loss of ecological function.

A Fish & Wildlife Management and Mitigation Plan prepared by Grette Associates was submitted in the application materials. The plan identifies that the project will result in no net loss of ecological function through proper mitigation.

5.10 MOORAGE: DOCKS, PIERS, WATERCRAFT LIFTS, MOORING BUOYS, FLOATS

POLICY 4: Moorage should be spaced and oriented in a manner that minimizes hazards and obstructions to navigation and other water-oriented activities such as fishing, swimming and pleasure boating, as well as property rights of adjacent land owners.

The proposed joint-use dock will have a maximum footprint of approximately 1,092 sq ft and be constructed of open aluminum or steel framing. The addition of the dock will not pose a hazard to navigation.

The proposed two ground-based boatlifts will have a maximum footprint of approximately 125 sq ft each and be constructed of open steel framing. The addition of the two boatlifts will not pose a hazard to navigation.

POLICY 5: Moorage should be restricted to the minimum size necessary to meet the needs of the proposed water-dependent use. The length, width and height of piers and docks should be no greater than necessary for safety and functional use.

The project proposes a dock and two boat lift structures that are the minimum sizes necessary for safety and requirements established by the USACE.

REGULATION 7: Moorage facilities shall be the minimum size necessary to meet the needs of the proposed water-dependent use and shall observe the following criteria:

- d.** Moorage shall be designed to avoid the need for maintenance dredging. The moorage of a boat larger than provided for in the original moorage design shall not be grounds for approval of dredging.

The location does not indicate the need for maintenance dredging.

REGULATION 15: Moorage facilities shall be marked with reflectors, or shall be otherwise identified to prevent unnecessarily hazardous conditions for water surface users during day or night. Exterior finish shall be generally non-reflective.

Suggested conditions of approval require that the dock and boatlifts be marked with reflectors or otherwise identified.

REGULATION 16: Moorage facilities shall be constructed and maintained so that no part of a facility creates hazardous conditions nor damages other shore property or natural features during predictable flood conditions. Floats shall be securely anchored.

The dock and boatlifts are designed and secured so that they will not damage shoreline property or natural features.

REGULATION 21: All moorage facilities must permanently mark all of the components with name, address, telephone number and date of installation.

Suggested conditions of approval require that the dock and boatlifts be permanently marked for identification.

REGULATION 23: Moorage facilities shall avoid locations that will adversely impact shoreline ecological functions or processes.

The dock is proposed to be located in the most appropriate shoreline location between the subject properties and will be positioned to minimize shadows cast over shallow waters and the boatlifts will be placed adjacent to the dock at a depth required by the USACE.

Appendix H, Chapter 3: Critical Areas – Fish and Wildlife Habitat Conservation Areas

The Fish & Wildlife Habitat Management and Mitigation Plan has determined that the riparian buffer will not be adversely affected by the installation of the pier and gangway above the OHWM and the dock and ground-based boatlifts below the OHWM.

The installation of a dock and two boatlifts will impact the aquatic environment. A Fish & Wildlife Habitat Management and Mitigation Plan has determined that there will be approximately 1,342 square feet of impact from the dock and boatlifts to the riparian and aquatic environments. The plan proposes approximately 3,292 square feet of riparian vegetation plantings to meet the mitigation for disturbance of the project.

In order to compensate for the placement of the proposed boatlifts in a water depth greater than 11 feet, the proposed project will require the installation of a 610 sq. ft. mitigation planting area. The 610 square foot mitigation planting area will entail the installation of native riparian trees and shrubs, based on the USACE mitigation ratio for boatlifts (2.44:1) proposed to be installed at a water depth of greater than 11 feet. The proposed boatlifts will be installed at approximately 11 feet below OHWM.

The dock will require the installation of approximately 2,682 sq. ft. of native riparian plantings. The 2,682 sq. ft. mitigation planting area will entail the installation of native

riparian trees and shrubs, based on the USACE and NMFS mitigation ratios for a joint-use dock (2.5:1 below OHWM) and (1:1 above OHWM).

All mitigation would be located on Lot 4 (10 Dewie Drive), adjacent to the proposed dock. This location was selected because it allows for the installation of native riparian vegetation as close to the OHWM as possible, where the vegetation will provide quality riparian habitat functions and values.

The Douglas County Regional Shoreline Master Program requires a minimum mitigation ratio of 1:1 for development within aquatic habitat. The more restrictive mitigation ratios determined by the USACE and NMFS are used for this project. A planting plan is proposed on sheet 6 of 6 of the diagrams in the Fish & Wildlife Habitat Management and Mitigation Plan Sheets.

As conditioned, the proposal is consistent with this section.

Consistency with WAC 173-27 and RCW 90.58:

As conditioned below, the project appears consistent with the requirements and criteria of the Shoreline Management and Enforcement Procedures, and the Shoreline Management Act.

VIII. RECOMMENDATION

As conditioned below, this application does not appear to be detrimental to the general public health, safety or welfare and meets the basic intent and criteria associated with Title 18 and 19 of the Douglas County Code, the Douglas County Countywide Comprehensive Plan, and the Douglas County Regional Shoreline Master Program. Staff recommends approval of SP-2017-02, subject to the following findings of fact and conditions:

Suggested Findings of Fact:

1. The applicant is Geoff Ping, Wickerish Investments, LLC 1610 Holbrook Ave. Everett, WA 98203
2. The applicant's agent is: Larry Lehman, Grette Associates LLC, 151 S. Worthen St. Ste. 101, Wenatchee, WA 98801
3. General Description: An application for a shoreline substantial development permit for a joint-use dock and two ground-based boatlifts.
4. The dock and boatlifts will serve 10 and 14 Dewie Dr., Orondo, WA. The properties are described as being Lots 3 and 4 of the Blue Heron Shores short plat. The properties are further described as being located within the northern half of Section 32, Township 25N, Range 21E., W.M., Douglas County, Washington. The Douglas County Assessor's Parcel Numbers are 25213210047 and 25213210048.
5. The Comprehensive Plan Designation is Rural Service Center.
6. The subject properties are located in the Rural Service Center zoning district.
7. The Columbia River Shoreline section of the subject properties is designated as "Shoreline Residential" by the Douglas County Regional Shoreline Master Program.
8. WAC 173-27-150 establishes minimum review criteria for Shoreline Management Substantial Development Permits. This criteria states that a substantial development permit shall be granted only when the development proposed is consistent with the policies and procedures of the Act; the provisions of this regulation; and the applicable master program adopted or approved for the area.

9. A Fish & Wildlife Habitat Management and Mitigation Plan dated February 2017 was performed for the project by Grette Associates.
10. The installation of the dock and boatlifts will impact the aquatic and riparian environments. A Fish & Wildlife Habitat Management and Mitigation Plan has determined that a total of 1,342 square feet of aquatic and riparian habitat will be disturbed by the dock and boatlifts.
11. The application proposes 3,292 square feet of mitigation. A planting plan is proposed on sheet 6 of 6 of the diagrams in the Fish & Wildlife Habitat Management and Mitigation Plan.
12. The mitigation proposed in the Fish & Wildlife Management and Mitigation Plan meets the requirements of the Douglas County Regional Shoreline Master Program.
13. The project does not include an access trail due to the existing site conditions of orchard/lawn grass and weedy species extending 2-5 feet from the OHWM.
14. Douglas County issued a Determination of Non-Significance on May 24, 2017 in accordance with WAC 197-11-355 (Optional DNS).
15. Agency comments were received from the Chelan County PUD.
16. No comments have been received from private citizens.
17. Surrounding property owners were given the opportunity to comment on the proposals, can request a copy of the decision, and can appeal the decision subject to the requirements outlined in DCC Title 14.
18. Proper legal requirements were met and surrounding property owners were given the opportunity to comment on the proposal at a public hearing.
19. WAC 173-27-090 requires that construction must be commenced within 2 years of the effective date of the shoreline permit and that authorization for construction shall terminate 5 years after the effective date of the shoreline permit.
20. As conditioned, the development will not adversely affect the general public, health, safety and general welfare.

Suggested Conclusions:

1. As conditioned, the development meets the goals, policies and implementation recommendations as set forth in the Douglas County Countywide Comprehensive Plan and the Douglas County Regional Shoreline Master Program.
2. As conditioned, this proposal is consistent with applicable federal and state laws and regulations.
3. As proposed, revised, and conditioned, potential impacts of the project can be mitigated.
4. Public interests will be served by approval of this proposal.
5. As conditioned, the proposal is consistent with Title 18 "Zoning" and Title 19 "Environment" of the Douglas County Code.

Suggested Conditions of Approval:

1. The project shall proceed in substantial conformance with the plans and application materials on file submitted on March 21, 2017 except as amended by the conditions herein.
2. The applicant shall comply with all applicable local, state and federal regulations.
3. A copy of this permit and attached conditions shall be kept on-site and be provided to the contractor and all others working within the shoreline area at all times. The applicant, contractor, machinery operators and all others working within the shoreline

area shall have read this permit and attached conditions and shall follow its conditions at all times.

4. The dock and boatlifts shall be marked with reflectors to prevent unnecessarily hazardous conditions for water surface users during day or night. Documentation shall be provided to the County.
5. The dock and boatlifts shall be permanently marked with name, address, telephone number and date of installation. Documentation shall be provided to the County.
6. The project application shall proceed consistent with the Fish & Wildlife Habitat Management and Mitigation Plan prepared by Grette Associates, dated February 2017.
7. The applicant must obtain a building permit for the joint-use dock.
8. Where necessary, a permanent means of irrigation shall be installed for the mitigation plantings that are designed by a landscape architect or equivalent professional. Said design shall meet the specific needs of riparian and shrub steppe vegetation.
9. Mitigation planting as shown on the mitigation planting plan sheet 6 of 6, dated 8/3/16 shall be planted upon completion of the project.
10. A five year monitoring period shall commence upon placement of the planting materials and irrigation system. A performance surety agreement in conformance with Title 14 Douglas County Code shall be entered into between the property owner and Douglas County Transportation and Land Services upon approval of the shoreline permit. Douglas County must approve quotes for the cost of installation, delivery, plant material, soil amendments, irrigation, seed mix and necessary monitoring visits and reports by the biologist of record and Washington State sales tax.
11. The mitigation site shall be maintained to ensure the management and mitigation plan objectives are successful. Maintenance shall ensure 80% survival during the 5 year monitoring period and shall include corrective actions to rectify problems, include rigorous, as-needed elimination of undesirable plants; protection of shrubs and small trees from competition by grasses and herbaceous plants, and repair and replacement of any dead plants.
12. Onsite monitoring and monitoring reports shall be submitted to Douglas County Transportation and Land Services 1 year after mitigation installation; 3 years after mitigation installation; and 5 years after mitigation installation. Monitoring reports shall be submitted by a qualified biologist, as defined by Douglas County Code. The biologist must verify that the conditions of approval and provisions in the Habitat Management and Mitigation Plan submitted by Grette Associates, dated February 2017 have been satisfied.
13. Sequential release of funds associated with the surety agreement shall be reviewed for conformance with the conditions of approval and the management and mitigation plan. Release of funds may occur in increments of 1/3 for substantial conformance with the plan and conditions of approval. If the standards that are not met are only minimally out of compliance and contingency actions are actively being pursued by the property owner to bring the project into compliance, the County may choose to consider a partial release of the scheduled increment. Non-compliance can result in one or more of the following actions: carry-over of the surety amount to the next review period; use of funds to remedy the nonconformance; scheduling a hearing with the Douglas County Hearing Examiner to review conformance with the conditions of approval and to determine what actions may be appropriate.
14. Where a condition imposed herein may be found inconsistent with the requirements of the Washington State Department of Fish and Wildlife, HPA Permit, or permitting

issued by the United States Army Corps of Engineers, the Douglas County Land Services Director shall have discretion to allow for project redesign consistent with the approvals granted by said agencies; if the redesign can be found consistent with the Douglas County Code, the Shoreline Master Program, and the Shoreline Management Act.

15. Prior to installation of the project, copies of approval from applicable agencies, including the Chelan County PUD, must be submitted to the County.
16. Construction of the project for which this permit has been granted must be commenced within two (2) years of the effective date of this permit. Authorization to conduct development activities granted by the permit shall terminate five (5) years from the filing date of the permit.

Respectfully Submitted,

A handwritten signature in black ink, appearing to read 'Suzanne Austin', written in a cursive style.

Suzanne Austin
Associate Planner