

DOUGLAS COUNTY TRANSPORTATION & LAND SERVICES

140 19TH STREET NW, SUITE A • EAST WENATCHEE, WA 98802-4191 PHONE: 509/884-7173 • FAX: 509/886-3954 www.douglascountywa.net

Beginning July 10, 2017, permit application intake and permit issuance will end at 4:00 PM daily. This allows more time to make sure applications are complete to reduce later delays in processing and to better assist applicants with questions.



Signature of Owner/Agent:_____(Must be signed and dated)

DOUGLAS COUNTY TRANSPORTATION AND LAND SERVICES

RESIDENTIAL BUILDING PERMIT APPLICATION

Applicant Information	Please submit this applic	er	information to:	
Name:Address:	East Wenatc	140 19th Street NW Suite A East Wenatchee, WA 98802		
Phone:		884-7173 · Fax: ((509) 886-3954	
Property Owner:	· · · · · · · · · · · · · · · · · · ·	Phone:		Permit No
Address:			· · · · · · · · · · · · · · · · · · ·	
Contractor:		Phone:		
License #				
Address:		State/Zip:		
Architect:		Phone:		
Address:		State/Zip:		
Fngineer:		Phone:		
Engineer:Address:		State/Zip:		
Lending Institution:				
Address:				
		•		
Land Description		Parael Nu	ımbor:	
Site Address:				 ning:
Legal Description: Range				
Project Description:				
Value of Project (required):\$		Sewer/Septic Perm	it #	
Number of: Stories/Levels:	Square feet per:	1 st Level		
Bathrooms				REMINDER:
Bedrooms		Basement	Site P	lan requirements
		Deck	8½x1′	1 or 11x17 copy
Duilding Height (ft. in)	0	Deck Cover	Electr	onic submittal preferr
Building Height (ft, in)	Cove	ered Porches Garage		
Is property adjacent to, or within a critical area?_	Which?			
If along shoreline: Cubic yards of fill/grade outside			anagad impanyiaya (Purface: og ff-
il along shoreline. Cubic yards or illi/grade outside	e or building lootprint	Existing & pro	oposed impervious (Surface: sq. ft.
				41
e applicant/property owner agrees to pay all plan replicant cancels or postpones the permit application,				
plicant cancels or postpones the permit application, d costs shall constitute a lien on the subject real pro	, plan review fees already in	curred shall be paid	in full. Further, all un	paid fees, expenses
e applicant/property owner agrees to pay all plan replicant cancels or postpones the permit application, d costs shall constitute a lien on the subject real prouglas County Auditor.	, plan review fees already in	curred shall be paid	in full. Further, all un	paid fees, expenses

Date:



DOUGLAS COUNTY

TRANSPORTATION & LAND SERVICES

140 19TH STREET NW, SUITE A • EAST WENATCHEE, WA 98802 PHONE: 509/884-7173 • FAX: 509/886-3954 www.douglascountywa.net

BUILDING PERMIT APPLICATION CHECKLIST RESIDENTIAL CONSTRUCTION

<u>Critical Area Reports & Shoreline Profiles</u>: Prior to plan design and submittal check with Land Services to determine if required.

Check applicable Plat notes for additional requirements.

<u>Application and Two Complete Sets of Construction Plans</u> – Be sure that:

- 1. All the lines are filled out with appropriate information or N/A.
- 2. Application signed and dated.
- 3. Both sets of plans must be identical.
- **4.** Online approval will be required for EWWD, CDHD, DCSD, DCFD, DC Eng., and DC Tran prior to permit issuance. If access is by a state route, written verification of legal access is required.
- 5. Engineered stamped plans for pole buildings greater than 1200 sq.ft.

BUILDING PLAN CHECK LIST-VERIFY THAT THE FOLLOWING INFORMATION IS INCLUDED

Site plan - To Scale: 1 full size & 1 reduction 81/2x11 or 11x17, electronic documents preferred

- 1. Lot dimensions.
- 2. Property lines.
- 3. All existing and proposed structures, including retaining walls.
- 4. Set-backs (distance) to property lines and existing structures.
- 5. Driveways and access easements.
- 6. Utility easements.
- 7. Any steep slopes (30% or greater- per IRC-403.1.7) and or fill areas.
- 8. Location of liquid petroleum (LPG) gas tanks. Indicate distance from LPG tank to any opening in house wall or foundation as well as any source of spark ignition and nearby property lines.
- 9. Critical area buffers.
- **10.** Ordinary high water mark.
- 11. PUD Easement Lines (G and or K as applicable) Contact Chelan PUD 509-661-4244

Exterior Elevations – To Scale:

- **1.** Finish floor level and finish grade at exterior.
- 2. Location of windows and doors.
- **3.** Type of siding, roofing and roof pitch.
- 4. Chimney locations and height.
- **5.** Provide profile or elevation for sloping lots. Show original and proposed grade (building height is measured from original grade).
- **6.** Slope of driveway (percentage of slope equals difference in elevation between garage slab and roadway, divided by length between garage and roadway).

Footing and Foundation - To Scale (feet and inches):

- 1. Footing and foundation layout. Include all structural dimensions.
- 2. Provide section view of footing and foundation including height and width, foundation plate, anchor bolt and depth below finished grade. Show reinforcing and specify size.
- 3. Show all thickened slab supporting bearing walls.
- 4. Show all pier pads and supporting beams.
- 5. Show thermal breaks between conditioned slabs and non-conditioned slab areas.
- **6.** Show all components of the foundation ventilation.

Floor Framing Plan – To Scale:

- 1. Show all size, types and spacing of joist and beams.
- 2. Provide location and size of all beam supports and pads.
- 3. Show location and size of crawl space access.

Floor Plan - To Scale:

- 1. Provide a floor plan of each level designate room use and include all structural dimensions.
- 2. Plans for an addition must include a plan of rooms in existing areas adjacent to new addition.
- 3. Include all door (incl. porch landing) and window locations and sizes.
- 4. Bedrooms require at least one (1) egress window.
- 5. Provide location of smoke alarms and carbon monoxide alarms.
- 6. Stairway locations and details, including landings, rise and run (split landings not permitted).
- 7. Guardrail and handrail details.
- 8. Decks and exterior roof covers, including all framing details, ledger attachment, anchoring, and dimensions.
- 9. Location of exhaust fans and access to the attic.
- **10.** Plumbing fixtures, fireplaces, counters, fuel burning devises, laundry equipment, hot water tank, furnaces and other appliances.

Roof Framing Plan:

- 1. Joist and rafter size / spacing and beam sizes / locations.
- 2. Truss system: Include site specific truss layout in plans with specifications sheet, or a site specific truss letter from the truss manufacturer Indicating proper snow load with the specification and layout sheet to follow prior to framing inspection. Site built trusses not permitted.
- **3.** Skylight locations.

Exterior Wall, Roof & Foundation View Section Plan – Sections through exterior wall showing:

- 1. Connection details of all critical construction points.
- 2. Finish floor to finish ceiling heights.
- **3.** Footing and foundation wall.
- 4. Location and size of footings/piers.
- 5. Show finished grade and depth of footings.
- 6. Crawl space height measured from ground cover to lowest beam and floor joist.
- 7. Floor joists size and spacing.
- **8.** Studs size, spacing.
- 9. Wall Sheathing.
- 10. Roof framing details.
- **11.** Ceiling joists size and spacing.
- **12.** Trusses/Rafters size, spacing and attic ventilation.
- **13.** Roof sheathing and covering.
- 14. All floor, wall and ceiling insulation, expressed in R values

Energy Code Compliance (Carry details to plan sheets)

- 1. Prescriptive R factors for Compliance Path 1, 2, or 3 per Table 6-2 or Component Performance Calculations
- 2. Insulation R-Values for exterior walls, floors, attics, and joist vaults per path.
- 3. Slab on grade (inside conc. R-10, outside conc. R-12) and thermal breaks per path.
- 4. Exterior doors (max. U-20) and window U-factors per path.
- 5. Heat load calculations (obtained from the mechanical contractor) and equipment schedule.

Residential Fire Sprinkler Systems

- 1. Plat location may require fire sprinkler system, Verify with recorded plat documents.
- 2. If other than loop system, a double check valve is required and must be tested prior to occupancy.

Storm Water Pollution Prevention Plan (SWPPP) - Contact DC Transportation for Details

- 1. A SWPPP is always required adjacent to a shoreline and may be required in other locations prior to issuance of a building permit.
- 2. The lot owner is responsible for taking measures necessary to prevent sediment from discharging on to the public right-of-way and/or adjacent properties.
- 3. Discharge of storm water and/or sediment on to the public right-of-way and/or adjacent properties shall result in revocation of the building permit, until such time that:
 - a. Corrective action has been taken to prevent further discharges,
 - **b.** Sediment has been cleaned from the roadway and storm systems,

Damage to adjacent properties is addressed to the satisfaction of Douglas County.



DOUGLAS COUNTY TRANSPORTATION & LAND SERVICES

140 19TH STREET NW, SUITE A • EAST WENATCHEE, WA 98802 PHONE: 509/884-7173 • FAX: 509/886-3954 www.douglascountywa.net

BUILDING PERMIT INFORMATION

- OWNER: The issuance of a permit is only to the owner of the property, or their licensed contractor.
- <u>CONTRACTOR</u>: When the construction done is by a person other than the owner of the property, for pay, the contractor is required to be licensed by the state and be listed on the application. If the contractor is not licensed, state law prohibits the county from issuing the permit.
- <u>LEGAL DESCRIPTION & PARCEL #</u>: The parcel number is listed on the top right corner of your property tax statement, or can be obtained by calling the Assessor's office at **745-8521** or **884-7954**. The legal description is: a lot, block and subdivision or metes and bounds description found on your property deed.
- <u>SITE PLAN</u>: A complete fully dimensioned site plan must be included. It will show the exact location of the new building in relationship to all property lines and existing buildings, etc. Also include the location of the septic tank and drainfield (see site plan checklist and example for further details).

•	REQUIRED HEIGHT, SETBACKS & CRITICAL AREA STANDARDS for RESIDENTIAL USES:
	Contact the Land Services Department to determine how the following standards apply to your project:
	Maximum Building Height:'. Yard Setbacks: Front:' Sides:' Rear:'.
	■ Within or Adjacent to Critical Areas: Yes No.
	 Within Shoreline Jurisdiction?
	■ Geologically Hazardous Area: Yes No. If yes, is a report required? Yes No.
	■ Lot Coverage Or Floor Area Ratios? ■ Landscaping or Design Standards?

- <u>SEPTIC SYSTEM</u>: If you need a septic system, contact the Chelan-Douglas Health District at **886-6450** prior to submittal of a building permit. Applications can be picked up at the Health District office, located at 200 Valley Mall Parkway, East Wenatchee.
- <u>ELECTRICAL PERMIT</u>: Obtain permits from the Department of Labor and Industries at **886-6500**, 519 Grant Road, East Wenatchee
- **DRIVEWAY PERMIT**: Permits are required from the Transportation & Land Services if a new approach is constructed or an existing approach altered. Provide plot plan and driveway location showing the length and difference in elevation between the edge of the roadway and the finished garage floor (oil & gravel). 884-7173 If access is by a state route, written verification of legal access is required.
- WATER METER: East Wenatchee Water District, at 884-3569, 692 Eastmont Ave, East Wenatchee
- **SEWER HOOKUP**: Douglas County Sewer District, at **884-2484** 692 Eastmont Ave, East Wenatchee
- <u>ELECRICAL METER HOOKUP</u>: Contact the Douglas County PUD at 1151 Valley Mall Parkway, 884-7191. You must sign a CSR in advance of receiving power. Manufactured Homes: Hookup will require a copy of your manufactured home installation permit.

• OTHER:

- Greater Wenatchee Irrigation District, 884-4042
- Wenatchee Reclamation District, 663-0002

REFER TO BUILDING PERMIT APPLICATION CHECKLIST FOR BUILDING PLAN SUBMITTAL REQUIREMENTS.



DOUGLAS COUNTY TRANSPORTATION & LAND SERVICES

ACCESS PERMIT APPLICATION

OFFICIAL USE ONLY

Douglas County Code is available online www.douglascountywa.net Go to Title 12.50 Douglas County Road Standards

Go to Title 12.50 Douglas County Road Standards	Access Permit #:
Section 1 – General Information	Building Permit #:
Applicant Name:	Not associated with other permits
Site Address:	
City/State	
Email Address: Phone Numb	per:
Assessor's Tax Parcel #	
Section 2 – Project Details	
Approach Type: ☐ New ☐ Existing ☐ Improved ☐ Temporary	
Number of residences to be served by approach:	
Driveway/Approaches on (Road Name):	
Nearest Crossroad:	
Sketch the proposed approach below in relation to crossroads and andmarks or provide separate access site plan on 11x17 or smaller:	
	pproach Material:
	☐ 6" Cement Concrete (Form Inspection Required prior to pour)
	O WSDOT Type 1
	O WSDOT Type 2
	O Other
	☐ Asphalt (Fig. 4-1, from existing road to edge of right-of-way)
	4" CSTC when county road is gravel



Douglas County Transportation & Land Services 140 19th St NW, East Wenatchee, WA 98802 (509)884-7173 FAX (509)886-3954

http://www.douglascountywa.net

ADDRESS REQUEST APPLICATION

<u>Applicant</u>		Property Own	er (If different fro	m Applicant)			
Name		Name					
Mailing		Mailing					
Address		Address					
City		City					
State/Zip		State/Zip					
Contact Phone		Contact Phone					
E-mail							
Request Type		Type of Building					
New Address	Single Farr	nily Residence	Multi-Fan	nily			
Change of Address	ange of Address Accessory Dwellin		Commerc	cial Building			
Additional New Address	Other						
Parcel #(s)							
Name of Subdivision (if applicable)			_				
Access Road Name							
Nearest Cross Road Name							
Neighbor's Address before Property							
Neighbor's Address after Property							
Applicant							
or Owner Signature			Date				
When returning this application: a \$75.00 fee must be paid (unless waived) AND a legible site plan map must be included. Use Douglas County's Map Search (http://douglaswa.mapsifter.com/disclaimer.aspx) or Douglas County's Interactive Web Map (